




Hi,

Welcome to Locks & Fittings Automatics 1st catalogue - your go-to source for all brands of Automatic Door Operators & Accessories. We're passionate about the service & products we provide, we're the type of people who get excited about motors and magnets.


We've got over 200 products listed in this catalogue. Our categories include Automatic Door Operators, Sensors & Accessories, Push Buttons & Key Switches, Finger Guards, Access Control & Security, and Door Accessories, because we're fancy like that.

At Locks & Fittings Automatics, we like to keep things fun, because let's face it, doors can be a snooze-fest. So, whether you're a Service Engineer, Installer, or just someone who loves doors (we won't judge) we're here to make your life easier.


Jokes aside, our commitment to exceptional customer service and top-quality products sets us apart in the industry. We take pride and urgency in meeting the unique needs of each of our customers, so if you can't find what you're looking for, give us a call.

We have a Trade Counter based in the Midlands just off the M6, Junction 9 & 10 where you can collect stocked products the same day.

Thank you for considering us, we look forward to serving you.

Index	Categories	Page
	Automatic Door Operators	1 - 2
	Sensors & Accessories	3 - 5
	Push Buttons & Key Switches - Push Buttons..... - Key Switches.....	6 - 9 10
	Finger Guards	11
	Access Control & Security.....	12 - 20
	Door Accessories	21 - 22

Location & Delivery Charges



Address:

Trade Counter & Head Office

Unit 7 & 8
Rollingmill Industrial Estate
Walsall
West Midlands
WS2 9EQ

Delivery Charges:

Stocked items ordered before 3:00pm will go out on "Standard Next Day" carriage but we cannot always guarantee they will arrive next day. Please allow 1-2 days delivery on stocked items.

Stocked Items:

Next Day Standard Carriage £12 - (Consignments up to 15 kg)

Pre 10am or Pre 12pm available. Please enquire when placing order.

Barriers:

£30 Flat rate delivery



L&F Part code	Product Name	Description	List Price
 G-FD20-Push	Gilgen FD20 Push Swing Door Operator	• Dims: 690 W x 95 H x 120 D mm • Max door weight: 250kg • Low Energy or Fully Automatic • Suitable for UK Fire Doors	£940.74
 G-FD20-Pull	Gilgen FD20 Pull Swing Door Operator	• Dims: 690 W x 95 H x 120 D mm • Max door weight: 250kg • Low Energy or Fully Automatic • Suitable for UK Fire Doors	£970.37
 LFA-GIL-45-0548-163	Gilgen FD20 Standard Arm	• 0-250mm Lintel Depth	£91.67
 LFA-GIL-45-0548-164	Gilgen FD20 Sliding Arm	• +150/-50 Pull Lintel Depth • +150/-30 Push Lintel Depth	£137.44
 LFA-GIL-45-0548-190	Gilgen 12mm Extension Spindle	• 12mm Extension Spindle • For increasing the gap from the arm to the operator • For use with the new style arms	£29.11
 LFA-GIL-45-0548-191	Gilgen 20mm Extension Spindle	• 20mm Extension Spindle • For increasing the gap from the arm to the operator • For use with the new style arms	£31.67
 LFA-GIL-45-0548-192	Gilgen 30mm Extension Spindle	• 30mm Extension Spindle • For increasing the gap from the arm to the operator • For use with the new style arms	£34.67
 LFA-GIL-45-0548-193	Gilgen 40mm Extension Spindle	• 40mm Extension Spindle • For increasing the gap from the arm to the operator • For use with the new style arms	£47.44
 LFA-GIL-45-0548-194	Gilgen 50mm Extension Spindle	• 50mm Extension Spindle • For increasing the gap from the arm to the operator • For use with the New style arms	£50.33
 LFA-GIL-45-635-142	Gilgen D-Bedix Program Switch	• Only required for programme buttons to be reachable	£133.09
 LFA-GIL-0383-194/07	Gilgen FD20 Communication Cable	• For syncing operators used as a pair	£23.71




Automatic Door Operators

L&F Part code	Product Name	Description	List Price
 R-DFA127-Push	Record DFA 127 Push Swing Door Operator	• Dims: 600 w x 85 h x 124 d mm • Max Door Weight: 400kg at 0.7 m • Opening angle: from 70° to 115° • Low Energy or Fully Automatic • Suitable for UK Fire Doors	£1,002.96
 R-DFA127-Pull	Record DFA 127 Pull Swing Door Operator	• Dims: 600 w x 85 h x 124 d mm • Max Door Weight: 400kg at 0.7 m • Opening angle: from 70° to 115° • Low Energy or Fully Automatic • Suitable for UK Fire Doors	£1,002.96
 LFA-REC-127808211	Record DFA 127 20mm Extension Spindle	• 20mm Extension Spindle • For increasing the gap from the arm to the operator	£40.00
 LFA-REC-127808212	Record DFA 127 50mm Extension Spindle	• 50mm Extension Spindle • For increasing the gap from the arm to the operator	£50.00
 LFA-REC-127808218	Record DFA 127 65mm Extension Spindle	• 65mm Extension Spindle • For increasing the gap from the arm to the operator	£95.00
 LFA-REC-127808213	Record DFA 127 80mm Extension Spindle	• 80mm Extension Spindle • For increasing the gap from the arm to the operator	£105.00
 LFA-REC-127808216	Record DFA 127 Standard SG3 Push Arm	• Record DFA 127 Standard SG3 Push Arm • Fixings Included	£183.33
 LFA-REC-127808183	Record DFA 127 Slide Arm	• Record DFA 127 Slide Arm • Fixings Included	£210.00
 LFA-REC-903808896	Record BDE-D Switch and Programmer	• Record DFA 127 BDE-D Control Switch • Includes Surface Mount Back Box	£190.00
 LFA-REC-127808247	Record DFA 127 CAN Isolator	• Required for a pair of doors	£160.00
 LFA-REC-127808232	Record DFA 127 BDI-M Adaptor	• Allows fitting of third party key switch	£58.33



Sensors & Accessories

L&F Part code	Product Name	Description	List Price
 LFA-BEA0100	BEA 4SAFE 900 mm	• Swing door safety sensor • Works as master or slave • Detection field: 400 W x 70 mm D at 2m H (4 spots active) • Conforms to BS EN 16005 • IP rating: IP54	£153.00
 LFA-BEA0101	BEA 4SAFE 340 mm	• Swing door safety sensor • Works as master or slave • Detection field: 400 W x 70 mm D at 2 m H (4 spots active) • Conforms to BS EN 16005 • IP rating: IP54	£136.00
 LFA-BEA0100WC	BEA 4 Safe weather cover	• 1100 mm long • Suitable for BEA 4SAFE sensor	£26.10
 LFA-BEA0120	BEA Eagle ARTEK	• Activation Sensor • Mounting Height: 1.8 m to 4 m • Conforms to BS EN 16005 • IP rating: IP54 • Replacement for BEA Eagle (now discontinued) • Max detection field: Wide: 4 m x 2 m Narrow: 2 m x 2.2 m @ 2.2 m high	£121.87
 LFA-BEA0120WC	BEA Eagle ARTEK weather cover	• Suitable for BEA Eagle ARTEK • Finish: Black	£29.48
 LFA-BEA0130	BEA IXIO-DT1	• Activation and threshold safety sensor for sliding doors • Uni-directional • Mounting height from 2 m to 3.5 m • Conforms to BS EN 16005 • Max infrared field: 2.2 m W x 0.5 m D at 2.2 m H • Max microwave field: 4 m W x 2 m D at 2.2 m H	£202.76
 LFA-BEA0131	BEA IXIO-DT3 Escape route sensor	• Conforms with the Scottish building regulations for escape routes • Activation and safety sensor for sliding doors • Uni-directional • Mounting height from 2 m to 3.5 m • Conforms to BS EN 16005 • Max infrared field: 2.2 m W x 0.5 m D at 2.2 m H • Max microwave field: 4 m W x 2 m D at 2.2 m H	£229.14
 LFA-BEA0132	BEA IXIO-ST	• Side screen safety sensor for sliding doors • Mounting height from 2 m to 3.5 m • Conforms to BS EN 16005 • Max infrared field: 2.2 m W x 0.5 m D at 2.2 m H	£150.01
 LFA-BEA0133	BEA VIO-DT2	• Activation and threshold safety sensor for sliding doors • Bi-directional • Mounting height from 1.8 m to 3 m • Conforms to BS EN 16005 • Max infrared field: 2.2 m W x 0.5 m D at 2.2 m H • Max microwave field: 4 m W x 2 m D at 2.2 m H	£153.00
 LFA-BEA0134	BEA VIO-ST	• Side screen safety sensor for sliding doors • Mounting height from 1.8 m to 3 m • Conforms to BS EN 16005 • Max infrared field: 2.2 m W x 0.5 m D at 2.2 m H	£115.91



L&F Part code	Product Name	Description	List Price
 LFA-BEA0130WC	BEA IXIO & VIO rain accessory	• Rain accessory for the IXIO & VIO range • Finish: Black	£27.38
 LFA-BEA0130CAW	IXIO Ceiling accessory white	• Ceiling accessory for the IXIO range • Finish: White	£63.76
 LFA-BEA0130CAB	IXIO Ceiling accessory black	• Ceiling accessory for the IXIO range • Finish: Black	£63.76
 LFA-BEA0130BA	IXIO-D & VIO Bracket accessory	• Bracket Accessory for the IXIO-D & VIO range	£13.95
 LFA-BEA0140	BEA Remote	• Universal remote control for the adjustments of BEA sensors	£19.40
 LFA-BEA0141	BEA Spot Finder	• Tool for visualising the exact position of infrared curtains	£83.72
 LFA-BEA0150	BEA LZR H100	• Activation, presence, and safety sensor for automatic gates & barriers • laser technology • Detection range: 9.9 m x 9.9 m • IP rating: IP65	£920.40

L&F Part code	Product Name	Description	List Price
 LFA-OPT0200	Optex OA Edge T 900mm	• Swing door safety sensor • Master can also be used as a slave • Detection field: 450 mm W x 70 mm D at 1.9 m H (4 spots active) • Conforms to BS EN 16005	£155.78
 LFA-OPT0200WC	Optex OA Edge T weather cover	• 1200 mm long • Suitable for Optex OA-Edge Sensors	£32.97
 LFA-OPT0210	Optex OM106C	• Activation Sensor • Mounting Height: 2 m to 3.5 m • Conforms to BS EN 16005 • Unidirectional • Max detection field: Wide: 4 m x 3 m Narrow: 2 m x 2.8 m @ 2.2 m high	£99.73
 LFA-OPT0210WC	Optex OM106C weather cover	• Suitable for Optex OM106C • Finish: Black	£24.73
 LFA-OPT0212	Optex Axis-T	• Activation and threshold safety sensor for sliding doors • Conforms to BS EN 16005 • Mounting height from 2 m to 3 m • Max detection field: 2.2 m x 2.2 m at 2.2 m H	£136.00
 LFA-OPT0214	Optex OA Presence-TN	• Side screen safety sensor for sliding doors • Conforms to BS EN 16005 • Mounting height from 2 m to 3.5 m	£123.64
 LFA-OPT0216	Optex Dual-T	• Activation and threshold safety sensor for sliding doors • Conforms to BS EN 16005 • Mounting height from 2 m to 3.5 m • Max infrared field: 2.7 m x 0.65 m at 2.2 m H	£151.66
 LFA-OPT0212WC	Optex Dual & Axis weather cover	• Suitable for Optex Dual & Axis sensors • Finish: Black	£28.85

Push Buttons & Key Switches

L&F Part code	Product Name	Description	List Price
 LFA-2033-2	'Push To Open' Square Push Pad	- C/W Back Box & Transmitter - Easy Access port to change battery 114mm x 114mm - Compatible with LFA-2033-R - Hardwired version available	£102.25
 LFA-2033-3	Wheelchair Logo 'Push To Open' Square Push Pad	- C/W Back Box & Transmitter - Easy Access port to change battery 114mm x 114mm - Compatible with LFA-2033-R - Hardwired version available	£102.25
 LFA-2034-2	'Push To Open' Slim Push Pad	- C/W Back Box & Transmitter - Compatible with LFA-2033-R 114mm x 44mm - Hardwired version available	£97.13
 LFA-2034-3	Wheelchair Logo 'Push To Open' Slim Push Pad	- C/W Back Box & Transmitter - Compatible with LFA-2033-R 114mm x 44mm - Hardwired version available	£97.13
 LFA-2033-R	Receiver For Stainless Steel Push Pads	- Self-learning radio receiver 4 channels - Up to 30 users - Dims: 59mm x 34mm x 20mm	£46.57
 LFA-2033-BB	Back Box For Square Push Pads	- Retained battery removal door - Dims: 116mm x 116mm x 45mm	£16.40
 LFA-2034-BB	Back Box For Slim Push Pads	Dims: 116mm x 116mm x 45mm	£29.33
 LFA-2000	Slim White & Green Domed Push Button	- Includes back box & security screws - IP54	£9.77
 LFA-2001	Standard White & Green Domed Push Button	- Includes back box & security screws - IP54	£9.77
 LFA-2002	Slim Light Switch Style Button	- Includes back box & security screws - IP54 - Antibacterial Surface	£9.77
 LFA-2003	Standard Light Switch Style Button	- Includes back box & security screws - IP54 - Antibacterial Surface	£9.77

Push Buttons & Key Switches

L&F Part code	Product Name	Description	List Price
 LFA-2004	Large Light Switch Style Button	- Includes back box & security screws - IP54 - Antibacterial Surface	£12.31
 LFA-2005	Slim Stainless Steel Flat Push Button	- Includes back box & security screws - IP54	£18.40
 LFA-2006	Standard Stainless Steel Flat Push Button	- Includes back box & security screws - IP54	£20.91
 LFA-2007	Slim Green Dome Button	- Includes back box & security screws - Switch Only IP66	£19.01
 LFA-2008	Standard Green Dome button	- Includes back box & security screws - Switch Only IP66	£19.01
 LFA-2009	Standard Stainless Steel Dome Button	- Includes back box & metal surround with security screws - Switch Only IP66	£28.23
 LFA-2010	Surface Mount Stainless Steel Green Dome Button	- Includes back box ONLY & security screws - Switch Only IP66	£21.54
 LFA-2011	Surface Mount Stainless Steel Red Dome Button	- Does NOT include back box - Switch Only IP66 REQUIRES LFA-2011-BB	£21.54
 LFA-2012	Large Green & Stainless Steel Exit Button	- Includes back box & security screws - IP55	£24.06
 LFA-2013	Weatherproof IP65 Stainless Steel Green Button & Rainshield	- Includes rainshield enclosure & security screws - Includes gasket & cable gland - IP66	£38.27
 LFA-2014	Touchless Illuminated Exit Switch	- Includes back box & security screws - Includes range adjustment & integral timer - IP65 Button Only	£38.78

Push Buttons & Key Switches

L&F Part code	Product Name	Description	List Price
 LFA-2015	Antibacterial Touchless Illuminated Exit Switch	• Includes back box & slotted screws • Working range of 0 - 150mm • Antibacterial surface • IP65 Button Only	£23.10
 LFA-2016	DDA Circular Push Plate	• Includes back box & security screws • IP55 • Complies to BS 8300 • Active 360° operation	£19.01
 LFA-2017	DDA Vandal-resistant Circular Push Plate	• REQUIRES LFA-2017-BB • IP55 • Complies to BS 8300 • Active 360° operation	£38.04
 LFA-2017-BB	DDA Back Box	• To Suit LFA-2017 & LFA-2019 • Dims: 128mm H x 128mm W x 36mm D	£10.30
 LFA-2018	DDA Vandal-resistant Jamb Push Pad	• Includes back box & security screws • Switch Only IP66	£41.03
 LFA-2019	DDA Vandal-resistant Square Push Pad	• Includes back box & security screws • Switch Only IP66	£43.09
 LFA-2020	Push To Open Weatherproof Button	• Includes back box & metal surround with security screws • Switch Only IP66	£45.98
 LFA-2021	Gate Release Weatherproof Button	• Includes back box ONLY & security screws • Switch Only IP66	£45.98
 LFA-2035	Stainless Steel Button Cover	• Dims: 100mm x 100mm x 120mm	£67.20
 LFA-2026	Square Hardwired Touch Pad	• Includes back box • 4 position sensitivity adjustment (Touch to hands free) • IP65	£70.48
 LFA-2026W	Square Wireless Touch Pad	• Includes back box • 4 position sensitivity adjustment (Touch to hands free) • IP65	£90.00





Push Buttons & Key Switches

L&F Part code	Product Name	Description	List Price
 LFA-2027	Square Illuminated Touch Pad	• Includes back box • Selectable red, blue & green LED's • 4 position sensitivity adjustment (Touch to proximity) • IP54	£81.90
 LFA-2028	Round Hardwired Touch Pad	• Includes back box • 4 position sensitivity adjustment (Touch to hands free) • IP65	£60.95
 LFA-2028W	Round Wireless Touch pad	• Includes back box • 4 position sensitivity adjustment (Touch to hands free) • IP65	£81.90
 LFA-2029	Architrave Style Hardwired Touch Pad	• Includes back box • 4 position sensitivity adjustment (Touch to hands free) • IP65	£53.33
 LFA-2029W	Architrave Style Wireless Touch Pad	• Includes back box • 4 position sensitivity adjustment (Touch to hands free) • IP65	£80.00
 LFA-2030	Receiver To Suit Touch Pads	• Momentary or bi-stable, selectable by dipswitch • 200 code memory • Max 50m range • Dims: 65mm x 50mm x 30mm	£29.52
 LFA-2031-1	Metal 1 Channel Transmitter	• Compatible with LFA-2030 • 50 metre range • Includes 2 x CR2016 3v lithium batteries	£23.71
 LFA-2031-2	Metal 2 Channel Transmitter	• Compatible with LFA-2030 • 50 metre range • Includes 2 x CR2016 3v lithium batteries	£21.81
 LFA-2031-4	Metal 4 Channel Transmitter	• Compatible with LFA-2030 • 50 metre range • Includes 2 x CR2016 3v lithium batteries	£28.86
 LFA-2022	Toilet Door Kit Round Style	• Key switch on external sensors for emergency entry • Timed clean output for auto door operation • All switches are antimicrobial	£461.51
 LFA-2024	Toilet Door Kit Single Gang	• Key switch on external sensors for emergency entry • Timed clean output for auto door operation • All switches are antimicrobial	£461.51

Push Buttons & Key Switches

L&F Part code	Product Name	Description	List Price
 LFA-2200	Latching 2 Position Key Switch	- Includes shrouded back box & security screws - Dims: 85mm H x 85mm W x 40mm D - Latching operation (Maintained) - Double Pole - IP64	£24.06
 LFA-2201	Momentary Key switch	- Includes shrouded back box & security screws - Dims: 85mm H x 85mm W x 40mm D - Momentary operation (Non Maintained) - Changeover Single Pole - IP64	£24.06
 LFA-2202	Stainless Steel 2 Position Key Switch	- Includes back box & keys - ON / OFF Maintained - Can be fitted surface or flush - Dims: 84mm x 40mm x 41mm	£34.57
 LFA-2204	Jamb 2 Position Key Switch	- Includes back box & keys - ON / OFF Maintained - Can be fitted surface or flush - Dims: 120mm x 50mm x 47mm	£33.60
 LFA-2202-KEY	2803 Spare Key	- Spare key to suit LFA-2202 & LFA-2204 - Supplied as a pair	£5.07
 LFA-2203	Stainless Steel 3 Position Key Switch	- Includes back box & keys - AUTO / OFF / HOLD OPEN Maintained - Can be fitted surface or flush - Dims: 84mm x 40mm x 41mm	£40.95
 LFA-2205	Jamb 3 Position Key Switch	- Includes back box & keys - AUTO / OFF / HOLD OPEN Maintained - Can be fitted surface or flush - Dims: 120mm x 50mm x 47mm	£40.95
 LFA-2203-KEY	606 Spare Key	- Spare key to suit LFA-2203 & LFA-2205 - Supplied as a pair	£5.07

Finger Guards

L&F Part code	Product Name	Description	List Price
 LFA500	LFA500 1925mm Roller Finger Guard Silver	• Cycle tested to 1,000,000 operations • Max fabric travel: 260mm • BS8613:2017 - Class 2 • Cannot be cut down	£115.15
 LFA500-B	LFA500 1925mm Roller Finger Guard Black	• Cycle tested to 1,000,000 operations • Max fabric travel: 260mm • BS8613:2017 - Class 2 • Cannot be cut down	£121.01
 LFA500-EN	LFA500 2000mm Roller Finger Guard Silver	• Cycle tested to 1,000,000 operations • Max fabric travel: 260mm • EN16005 compliant • Cannot be cut down • BS8613:2017 - Class 2	£123.51
 LFA500-BEN	LFA500 2000mm Roller Finger Guard Black	• Cycle tested to 1,000,000 operations • Max fabric travel: 260mm • EN16005 compliant • Cannot be cut down • BS8613:2017 - Class 2	£132.91
 LFA-FP200	FP200 1925mm Roller Finger Guard Silver	• Cycle tested to 1,000,000 operations • Max fabric travel: 260mm • Suitable for 60 min fire doors • BS8613:2017 - Class 2	£130.57
 LFA-FP200-BL	FP200 1925mm Roller Finger Guard Bronze	• Cycle tested to 1,000,000 operations • Max fabric travel: 260mm • Suitable for 60 min fire doors • BS8613:2017 - Class 2	£130.57
 LFA-FP200-WH	FP200 1925mm Roller Finger Guard White	• Cycle tested to 1,000,000 operations • Max fabric travel: 260mm • Suitable for 60 min fire doors • BS8613:2017 - Class 2	£130.57
 LFA-2000X	FP200 2015mm Roller Finger Guard Silver	• Cycle tested to 1,000,000 operations • Max fabric travel: 260mm • Suitable for 60 min fire doors • EN16005 compliant • BS8613:2017 - Class 2	£144.67

Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2230	Illuminated Emergency Door Release Single Pole	- Includes back box & security screws - Buzzer & LED indicator - Single pole voltage free contacts • IP24 • Dims: 85mm x 88mm x 51mm	£11.30
 LFA-2231	Illuminated Emergency Door Release Double Pole	- Includes back box & security screws - Buzzer & LED indicator - Double pole voltage free contacts • IP24 • Dims: 85mm x 88mm x 51mm	£15.60
 LFA-2232	Illuminated Emergency Door Release Triple Pole	- Includes back box & security screws - Buzzer & LED indicator - Triple pole voltage free contacts • IP24 • Dims: 85mm x 88mm x 51mm	£20.69
 LFA-2233	Exit Button With Emergency Door Release	- Includes back box & security screws - Buzzer & LED indicator 3 voltage free contacts • IP24 • Dims: 160mm x 90mm x 63mm	£32.59
 LFA-2234	Stainless Exit Button With Emergency Door Release	- Includes back box & security screws - Buzzer & LED indicator 3 voltage free contacts • IP24 • Dims: 160mm x 90mm x 42mm	£37.66
 LFA-2235	Touchless Exit Switch With Emergency Door Release	- Includes back box & security screws - Buzzer & LED indicator 3 voltage free contacts • IP24 • Dims: 160mm x 90mm x 42mm	£50.32
 LFA-2230-KEY	Reset Key For Emergency Door Release	Reset key for use with the dual units & emergency door release units	£1.52
 LFA-2250	KP50 Keypad	- Up to 100 users - Internal/External - With latching feature - Dims: 125mm x 79mm x 54mm	£88.71
 LFA-2251	KPX50 Keypad & Proximity Reader	- Up to 100 users - Internal/External - With latching feature - Dims: 125mm x 79mm x 54mm	£114.07
 LFA-2252	KPX75 Slim Keypad & Proximity Reader	- Up to 1000 users - IP65 - Dims: 180mm x 46mm x 25mm	£114.07
 LFA-2253	KP1000 Keypad	- Up to 500 users - Only external if used with rainshield - Dims: 120mm x 76mm x 27mm	£70.98

Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2254	KPX1000 Keypad & Proximity Reader	• Up to 500 users • Only external if used with rainshield • Dims: 120mm x 76mm x 27mm • 5 x free fobs	£86.88
 LFA-2259	KPX2000 Keypad	• Up to 500 users • Only external if used with rainshield • Dims: 120mm x 76mm x 27mm • 5 x free fobs • Additional wiegand input • Alarm input • Doorbell & backlit buttons	£96.32
 LFA-2258	KPX2000 Keypad With IP Proximity Reader	• Up to 500 users • Only external if used with rainshield • Dims: 120mm x 76mm x 27mm • 5 x free fobs • Additional wiegand input • Alarm input • Doorbell & backlit buttons	£125.45
 LFA-2255	Rainsheild For KP & KPX Range	• to suit KP1000/2000 & KPX1000/2000 • Includes a rear face rubber grommet to prevent water ingress	£12.50
 LFA-2256	Proximity Fob For KPX Range	• To suit KPX50, KPX75, KPX1000 & KPX2000 • Dims: 85mm x 54mm	£2.32
 LFA-2257	Proximity Card For KPX Range	• To suit KPX50, KPX75, KPX1000 & KPX2000 • Dims: 85mm x 54mm	£2.17
 LFA-2260	Vanderbilt V42 Keypad	• Updated version of Bewator K42 • 2 four digit codes • IP54	£135.70
 LFA-2260-FBB	Flush Back Box For V42 Keypad	• To suit V42 Keypad or LFA-2260	£67.77
 LFA-2261	ACT 10 Keypad	• 10 user codes • 2 Output relays • IP54	£144.35
 LFA-2262	ACT 5 Keypad	• 10 four digit user codes • 5 Amp door relay output • IP55	£102.02
 LFA-2263	ACT5-EM Keypad & Prox	• 10 four digit user codes • 5 Amp door relay output • Combined keypad & proximity reader • IP55	£158.27

Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2264	APX-11 Stand-Alone WiFi Keypad	• Works with free "eWeLink" app • Four to six digit PIN • 12/24V DC power input	£69.49
 LFA-2265	APX-16 Stand-Alone Heavy Duty Keypad	• Digit PIN with optional proximity cards • Lock relay 0-99 seconds • IP65	£108.27
 LFA-2266	APX-16/PROX Stand-Alone Heavy Duty Keypad & Prox	• Digit PIN with 10 proximity cards • Lock relay 0-99 seconds • IP65	£117.77
 LFA-2266-CARD	Proximity Card For APX-16 Prox Reader	• Proximity card to suit APX-16/PROX or LFA-2266	£2.02
 LFA-2267	APX-18 Stand-Alone WiFi Prox Reader	• Waterproof IP66 • One relay • Easy programming by master cards or remote control	£80.44
 LFA-2268	APX-19 Stand-Alone Mifare Prox Reader	• Waterproof IP66 • One relay • Easy programming by master cards or remote control	£86.21
 LFA-2350	Slimline Unmonitored Mortice Magnet	• 280 kg Holding force • Magnet size: 230mm x 36mm x 30mm • Armature plate size: 180mm x 38mm x 8mm • For use on sliding doors	£39.29
 LFA-2351	Slimline Magnet	• 280 kg Holding force • Magnet size: 250mm x 46mm x 24mm • Fail safe • Suitable for wooden, metal or glass doors	£32.26
 LFA-2351-M	Slimline Monitored Magnet	• 280 kg Holding force • Magnet size: 250mm x 46mm x 24mm • Fail safe • Suitable for wooden, metal or glass doors	£38.03
 LFA-2351-L	Slimline Adjustable L Bracket	• To suit LFA-2351 & LFA-2351-M • Dims: 250mm x 47mm x 28mm	£11.87
 LFA-2351-ZL	Slimline Adjustable Z & L Bracket	• To suit LFA-2351 & LFA-2351-M	£17.16

Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2351-A	Slimline Armature Housing	• To suit LFA-2351 & LFA-2351-M	£12.68
 LFA-2352	Double Slimline Magnet	• 280 kg x 2 Holding force • Magnet size: 500mm x 46mm x 24mm • Fail safe • Suitable for wooden, metal or glass doors	£70.98
 LFA-2352-M	Double Slimline Monitored Magnet	• 280 kg x 2 Holding force • Magnet size: 500mm x 46mm x 24mm • Fail safe • Suitable for wooden, metal or glass doors	£83.66
 LFA-2352-L	Slimline Adjustable Double L Bracket	• To suit LFA-2352 & LFA-2352-M • Dims: 500mm x 47mm x 28mm	£23.75
 LFA-2352-ZL	Slimline Adjustable Double Z & L Bracket	• To suit LFA-2352 & LFA-2352-M	£34.34
 LFA-2353	Standard Magnet	• 545 kg Holding force • Magnet size: 265mm x 73mm x 40mm • Fail safe • Suitable for wooden, metal or glass doors	£65.90
 LFA-2353-M	Standard Monitored Magnet	• 545 kg Holding force • Magnet size: 265mm x 73mm x 40mm • Fail safe • Suitable for wooden, metal or glass doors	£70.98
 LFA-2353-L	Standard Adjustable L Bracket	• To suit LFA-2353 & LFA-2353-M	£13.82
 LFA-2353-ZL	Standard Adjustable Z & L Bracket	• To suit LFA-2353 & LFA-2353-M	£29.15
 LFA-2353-A	Standard Armature Housing	• To suit LFA-2353 & LFA-2353-M	£21.55
 LFA-2354-M	Double Standard Monitored Magnet	• 545 kg x 2 Holding force • Magnet size: 520mm x 73mm x 40mm • Fail safe • Suitable for wooden, metal or glass doors	£147.00

Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2354-L	Standard Double L Bracket	• To suit LFA-2354-M • Dims: 532mm x 73mm x 46mm	£27.66
 LFA-2354-ZL	Standard Adjustable Double Z & L Bracket	• To suit LFA-2354-M	£58.30
 LFA-2355	External Gate Magnet	• 280 kg Holding force • Magnet size: 220mm x 60mm x 40mm • Fail safe • Suitable for all doors & gates	£69.28
 LFA-2356	External Monitored Gate Magnet	• 280 kg Holding force • Magnet size: 220mm x 60mm x 40mm • Fail safe • Suitable for all doors & gates	£74.34
 LFA-2355-ZL	Adjustable Z & L Bracket For External Magnet	• To suit LFA-2355 & LFA-2356	£18.90
 LFA-2357	External Heavy Duty Gate Magnet	• 545 kg Holding force • Fail safe • Suitable for all doors & gates	£74.82
 LFA-2357-ZL	Adjustable Z & L Bracket For External Heavy Duty Magnet	• To suit LFA-2357	£29.17
 LFA-2400	Fail Secure Electric Strike	• Fail Secure 12v ac/dc • Includes an override "snip for permanent release" • Rim: 100mm H x 32mm W x 25mm D • Mortise: 160mm H x 32mm W x 25mm D	£15.20
 LFA-2401	Fail Secure ANSI style Electric Strike	• Fail Secure 12v ac/dc • Dims: 150mm H x 27/39mm W x 43mm D	£35.49
 LFA-2402	Fail Safe ANSI style Electric Strike	• Fail Safe 12v ac/dc • Dims: 150mm H x 27/39mm W x 43mm D	£35.49
 LFA-2403	Standard Shearlock	• 1180 kg Holding force • Fail safe • Magnet: 148mm L x 42mm W x 38mm D • Armature: 148mm L x 42mm W x 38mm D	£139.42

Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2403-GB	Glass Door Bracket For LFA-2403	- To suit LFA-2403 - Suitable for doors from 10 - 14mm	£48.38
 LFA-2403-SB	Surface Door Bracket For LFA-2403	- To suit LFA-2403 - Dims: 231mm L x 44mm W x 46mm D	£64.51
 LFA-2404	AL900 Electric Strike	- Supplied with long & short faceplate 12/24V AC/DC - Fail safe/Fail secure settable - Easy replacement for Adams Rite, Trimec & Alpro strikes	£86.64
 LFA-2405	AER134 Mortice Solenoid Bolt	- Kick-in Current: 1A at 12V - Suitable for single or double swing doors - Dual monitoring of the door position and bolt position	£110.94
 LFA-2405-WD	Surface Housing For Wood Door	To suit LFA-2405	£78.59
 LFA-2405-GD	Surface Housing For Glass Door	To suit LFA-2405	£64.72
 LFA-2406	AER180 Slim Mortice Solenoid Bolt	- Kick-in Current: 1A at 12V - Suitable for single or double swing doors - Dual monitoring of the door position and bolt position	£217.37
 LFA-2407	Fail Safe Mortice Drop Bolt	1000kg Holding force - Monitored locking plate & delay timer 0/3/6/9 Secs - Dims: 200mm H x 35mm W x 38mm D	£76.04
 LFA-2408	Fail Safe Mortice Drop Bolt With Door Status	1000kg Holding force - Monitored locking plate with door status - Delay timer 0/3/6/9 Sec - Dims: 200mm H x 35mm W x 38mm D	£80.00
 LFA-2409	Glass Door Drop Bolt	1000kg Holding force - Delay timer 0/3/6/9 Sec	£103.92

Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2550	1 Amp 12 V Power Supply	• 13.8vdc • Dims: 225mm H x 200mm W x 75mm D	£29.62
 LFA-2550-1	1 Amp 24 V Power Supply	• 27.6vdc • Dims: 310mm H x 340mm W x 80mm D	£58.25
 LFA-2550L	1 Amp 12 V Power Supply Large Housing	• 13.8vdc • Dims: 310mm H x 340mm W x 80mm D	£51.90
 LFA-2551	3 Amp 12 V Power Supply	• 13.8vdc • Dims: 225mm H x 200mm W x 75mm D	£58.17
 LFA-2551-1	3 Amp 24 V power Supply	• 27.6vdc • Dims: 310mm H x 340mm W x 80mm D	£84.38
 LFA-2551L	3 Amp 12 V Power Supply Large Housing	• 13.8vdc • Dims: 310mm H x 340mm W x 80mm D	£67.16
 LFA-2552	5 Amp 12 V Power Supply	• 13.8vdc • Dims: 310mm H x 340mm W x 80mm D	£107.28
 LFA-2552-1	5 Amp 24 V Power Supply	• 27.6vdc • Dims: 310mm H x 340mm W x 80mm D	£121.16
 LFA-2554	Yuasa 12V 7Ah Battery	• Lead Acid • Dims: 151mm L x 97.5mm H x 65mm W	£26.56
 LFA-2555	Yuasa 12V 17Ah Battery	• Lead Acid • Dims: 167mm L x 181mm H x 76mm W	£77.93
 LFA-2555	Yucel 12V 7Ah Battery	• Lead Acid • Dims: 151mm L x 97.5mm H x 65mm W	£22.47


Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2557	Yucel 12V 17Ah Battery	• Lead Acid • Dims: 167mm L x 181mm H x 76mm W	£61.31
 LFA-2570	Multi Purpose Relay	• AC or DC input • With double output 30v rated contacts to switch 5 Amps • Dims: 75mm H x 45mm W x 28mm D	£13.81
 LFA-2571	LED Count Down Timer Relay	• With single 30v ac/dc output rated contacts to switch 5 Amps • 1 second to 999 minutes • Dims: 76mm H x 40mm W x 17mm D	£28.53
 LFA-2572	Simple Timer Module	• To be used to make a time delay between a exit button and lock • 0 to 15 second timer • Dims: 61mm H x 48mm W x 18mm D	£17.28
 LFA-2573	Door Lock Interface Module	• Allows for the connection and control of two doors • Dims: 69mm H x 60mm W x 15mm D	£20.29
 LFA-2574	24V to 12V Voltage Reducer	• Reduces 24 volts to 12 volts • Dims: 40mm H x 38mm W x 15mm D	£19.01
 LFA-2575	Multi Purpose DC Voltage Reducer	• Offers an input from 32vdc with multiple STEP DOWN outputs • 24, 12, 9, 6 & 3 all at 1A • Dims: 53mm H x 39mm W x 13mm D	£22.48
 LFA-2585	450mm Metal Door Loop	• With metal end caps	£10.95
 LFA-2586	600mm Metal Door Loop	• With metal end caps	£12.06
 LFA-2587	400mm Metal Door Loop	• With white plastic end caps	£8.76
 LFA-2595	Wall Mount Door Hold Open Magnet	• To retain fire exit doors in a open position • Triggered on fire alarm • Dims: 65mm H x 65mm W x 46mm D	£32.97

Access Control & Security

L&F Part code	Product Name	Description	List Price
 LFA-2595B	Black Floor Mount Bracket	• To suit LFA-2595 • Dims: 120mm H x 90mm W x 40mm D	£10.15
 LFA-2595C	Black Armature & Chain	• To suit LFA-2595 • Length 950mm	£34.57
 LFA-2596	White Wall Mount Door Hold Open Magnet	• To retain fire exit doors in a open position • Triggered on fire alarm • Dims: 65mm H x 65mm W x 46mm D	£32.97
 LFA-2596B	White Floor Mount Bracket	• To suit LFA-2596 • Dims: 120mm H x 90mm W x 40mm D	£10.15
 LFA-2597	Stainless Wall Mount Door Hold Open Magnet	• To retain fire exit doors in a open position • Triggered on fire alarm • Dims: 65mm H x 65mm W x 46mm D	£50.59
 LFA-2596C	White Armature & Chain	• To suit LFA-2595 • Length 950mm	£34.57

Door Accessories

L&F Part code	Product Name	Description	List Price
 Automatic door LFA-1000	Automatic Door Signage	• Dims: 150mm x 150mm	£0.42
 Automatic door LFA-1001	Double Sided Automatic Door Signage	• For glass door or vision panels • Dims: 150mm x 150mm	£0.98
 Push Button to Open LFA-1002	Push Button To Open Signage	• Dims: 150mm x 150mm	£0.42
 Power Assisted door LFA-1003	Power Assisted Door Signage	• Dims: 150mm x 150mm	£0.42
 Power Assisted Door LFA-1004	Power Assisted Door Disabled Logo Signage	• Dims: 150mm x 150mm	£0.42
 LFA-1005	Disabled Logo Signage	• Dims: 150mm x 150mm	£0.58
 LFA-1006	Keep Clear Signage	• Dims: 150mm x 210mm	£0.46
 LFA-1007	No Entry Signage	• 150mm diameter	£1.87
 LFA-1008	One Way Signage	• 150mm diameter	£1.87
 LFA-1009	Emergency Escape Route Signage	• Dims: 150mm x 100mm	£0.55
 Access Control Powered Door LFA-1011	Access Control Powered Door Signage	• Dims: 150mm x 150mm	£0.42

Door Accessories

L&F Part code	Product Name	Description	List Price
 LFA-1010	Door Manifestation Frosted Dots	• 50mm diameter frosted dots • 100mm spacing on a 1100mm length	£5.60
 LFA-1025	21mm Roller Floor Guide	• 21mm diameter	£15.55
 LFA-1026	23mm Roller Floor Guide	• 23mm diameter	£15.55
 LFA-1027	24mm Roller Floor Guide	• 24mm diameter	£15.55
 LFA-1028	Double Roller Floor Guide	• To suit aluminium bottom rail door profile	£19.74
 LFA-1029	Standard Short Nylon Floor Guide	• Adjustable • Dims: 22mm W x 66mm L	£15.55
 LFA-1030	Standard Long Nylon Floor Guide	• Dims: 22mm W x 66mm L • Similar Besam guide	£21.83
 LFA-1031	Pair Angular Floor Guide	• Suitable for jamb fixing • Dims: 22mm W x 66mm L	£42.78

Bye :)

- Automatic Door Operators
- Sensors & Accessories
- Push Buttons & Key Switches
- Finger Guards & Barriers
- Access Control & Security
- Door Accessories



Trade Counter & Head Office
Units 7 & 8 Rollingmill Industrial Estate
Walsall | West Midlands | WS2 9EQ

