









#### Hi... Again

Welcome to Issue 2 of Locks & Fittings Automatics Catalogue!

We're thrilled to expand our catalogue with an even more extensive range of Automatic Door Operators & Accessories from more top brands. We're passionate about the service & products we provide, we're the type of people who get excited about motors and magnets.

We've added over 150 products including a NEW Manual Door Parts section.

Our categories now include

Automatic Door Operators, Retrofit Kits, Sensors & Accessories, Push Buttons & Key Switches, Finger Guards & Barriers, Access Control & Security, Door Accessories & Test Bodies and, Manual Door Parts.

At Locks & Fittings Automatics, we believe in adding a touch of fun to the industry. So, whether you're a Service Engineer, Installer, or simply someone with a soft spot for doors, we welcome you all (we won't judge) we're here to make your life easier.

We take immense pride in catering to the unique needs of each customer, and if you can't find what you're looking for, don't hesitate to reach out to us and give us a call.

We have a Trade Counter based in the Midlands just off the M6, Junction 9 & 10 where you can collect stocked products the same day.

Thank you for considering us, we look forward to serving you.






Index	Categories	Page
	Automatic Door Operators - Swing Door Operators Retrofit Kits	1 - 4 5
	Sensors & Accessories	6 -11
E PUBH TO OPEN	Push Buttons & Key Switches	12 - 17
	Finger Guards & Barriers	18 - 20
	Access Control & Security	21 - 29
Power Assisted Door	Door Accessories	30 - 32
	Manual Door Parts	33 - 38



#### Location & Delivery Charges



#### Address:

Trade Counter & Head Office

Unit 7 & 8 Rollingmill Industrial Estate, Walsall, West Midlands, WS2 9EQ

#### **Delivery Charges:**

Stocked items ordered before 3:00pm will go out on "Standard Next Day" carriage but we cannot always guarantee they will arrive next day. Please allow 1-2 days delivery on stocked items.

#### Carriage:

Next Day Standard Carriage £12 (Consignments up to 15 kg).

Pre 12pm or Pre 10am available. (Please enquire when placing order).

Carriage Paid on orders over £2,500 (Before VAT), Barriers Excluded.

#### Barriers:

£30 Flat rate delivery





# Automatic Door Operators

L&F Part code	Product Name	Description	List Price
G-FD20-Push	Gilgen FD20 Push Swing Door Operator	Dims: 690 W x 95 H x 120 D mm     Max door weight: 250kg     Low Energy or Fully Automatic      Suitable for UK Fire Doors	£1,058.82
G-FD20-Pull	Gilgen FD20 Pull Swing Door Operator	Dims: 690 W x 95 H x 120 D mm     Max door weight: 250kg     Low Energy or Fully Automatic      Suitable for UK Fire Doors	£1,090.20
	Gilgen FD20 Standard Arm	• 0-250mm Lintel Depth	£91.67
LFA-GIL-45-0548-163	Gilgen FD20 Sliding Arm	• +150/-50 Pull Lintel Depth • +150/-30 Push Lintel Depth	£137.44
LFA-GIL-45-0548-190	Gilgen 12mm Extension Spindle	12mm Extension Spindle     For increasing the gap from the arm to the operator     For use with the new style arms	£29.11
LFA-GIL-45-0548-191	Gilgen 20mm Extension Spindle	20mm Extension Spindle     For increasing the gap from the arm to the operator     For use with the new style arms	£31.67
LFA-GIL-45-0548-192	Gilgen 30mm Extension Spindle	30mm Extension Spindle     For increasing the gap from the arm to the operator     For use with the new style arms	£34.67
LFA-GIL-45-0548-193	Gilgen 40mm Extension Spindle	40mm Extension Spindle     For increasing the gap from the arm to the operator     For use with the new style arms	£47.44
LFA-GIL-45-0548-194	Gilgen 50mm Extension Spindle	50mm Extension Spindle     For increasing the gap from the arm to the operator     For use with the new style arms	£50.33
LFA-GIL-45-635-142	Gilgen D-Bedix Program Switch	Only required for programme buttons to be reachable	£133.09
LFA-GIL-0383-194/07	Gilgen FD20 Communication Cable	For syncing operators used as a pair	£23.71



## **Automatic Door Operators**



L&F Part code	Product Name	Description	List Price
R-DFA127-Push	Record DFA 127 Push Swing Door Operator	Dims: 600 w x 85 h x 124 d mm     Max Door Weight: 400kg at 0.7 m     Opening angle: from 70° to 115°     Suitable for UK Fire Doors	£1,002.96
R-DFA127-Pull	Record DFA 127 Pull Swing Door Operator	Dims: 600 w x 85 h x 124 d mm     Max Door Weight: 400kg at 0.7 m     Opening angle: from 70° to 115°     Suitable for UK Fire Doors	£1,002.96
LFA-REC-127808211	Record DFA 127 20mm Extension Spindle	20mm Extension Spindle     For increasing the gap from the arm to the operator	£40.00
LFA-REC-127808212	Record DFA 127 50mm Extension Spindle	50mm Extension Spindle     For increasing the gap from the arm to the operator	£50.00
LFA-REC-127808218	Record DFA 127 65mm Extension Spindle	65mm Extension Spindle     For increasing the gap from the arm to the operator	£95.00
LFA-REC-127808213	Record DFA 127 80mm Extension Spindle	80mm Extension Spindle     For increasing the gap from the arm to the operator	£105.00
LFA-REC-127808216	Record DFA 127 Standard SG3 Push Arm	Record DFA 127 Standard SG3 Push Arm     Fixings Included	£183.33
LFA-REC-127808183	Record DFA 127 Slide Arm	Record DFA 127 Slide Arm     Fixings Included	£210.00
LFA-REC-903808896	Record BDE-D Switch and Programmer	Record DFA 127 BDE-D Control Switch     Includes Surface Mount Back Box	£190.00
LFA-REC-127808247	Record DFA 127 CAN Isolator	• Required for a pair of doors	£160.00
LFA-REC-127808232	Record DFA 127 BDI-M Adaptor	• Allows fitting of third party key switch	£58.33



## **▶ LABEL** ■ Automatic Door Operators

L&F Part code	Product Name	Description	List Price
L-NEP-SLT	Label NEPTIS SLT Swing Door Operator Only	• Dims: 550 w x 110 h x 120 d mm • Max Door Weight: 250kg • Tested to 1,000,000 Cycles • Suitable for UK Fire Doors	£898.34
LFA-LAB-BSS2FE	Label NEPTIS SLT Push Arm	Label NEPTIS Range Push Arm     Fixings Included	£124.91
LFA-LAB-BDT2FE	Label NEPTIS SLT Pull Arm	Label NEPTIS Range Pull Arm     Fixings Included	£124.91
LFA-LAB-EXTB-Z	Label NEPTIS SLT B Extension	• (24mm) Extension Spindle • For increasing the gap from the arm to the operator	£59.89
LFA-LAB-EXTC-Z	Label NEPTIS SLT C Extension	• (48mm) Extension Spindle • For increasing the gap from the arm to the operator	£59.89
LFA-LAB-ET-DSELB	Label NEPTIS SLT Digital Programmer	Digital Programmer (Works with all NEW label operators)     Required for set up & adjustments	£140.52
LFA-LAB-WR5MS	Label NEPTIS SLT Communication Cable	For syncing operators used as a pair	£34.22
LFA-LAB-V01211	Label NEPTIS SLT Battery Pack	Back up battery for NEPTIS range     Roughly lasts for 50 consecutive door opening/closing cycles	£225.87



## **▶ LABEL** ■ Automatic Door Operators

L&F Part code	Product Name	Description	List Price
L-NEXT120S	Label NEXT 120S Swing Door Operator Only	Dims: 420 w x 60 h x 76 d mm     Max Door Weight: 120kg     Internal Door Operator      Suitable for UK Fire Doors	£784.80
LFA-LAB-NEXT120-BAS	Label NEXT 120S Push Arm	Label NEXT 120S Standard Push Arm     Fixings Included	£123.20
LFA-LAB-NEXT120-BDT	Label NEXT 120S Pull Arm	Label NEXT 120S Standard Pull Arm     Fixings Included	£88.98
LFA-LAB-NEXT120-B150	Label NEXT 120S Reveal Arm Up To 110mm	For Reveal deapth up to 110mm     Fixings Included	£143.73
LFA-LAB-NEXT120-B250	Label NEXT 120S Reveal Arm Up To 210mm	For Reveal deapth up to 210mm     Fixings Included	£143.73
LFA-LAB-NEXT-EXT	Label NEXT 120S Extension Spindle	• (25mm) Extension Spindle • For increasing the gap from the arm to the operator	£53.05
LFA-LAB-ET-DSELB	Label NEXT 120S Digital Programmer	Digital Programmer (Works with all NEW label operators)     Required for set up & adjustments	£140.52
LFA-LAB-WR5MS	Label NEXT 120S Communication Cable	For syncing operators used as a pair	£34.22
LFA-LAB-NEXT120-BAT	Label NEXT 120S Battery Pack	Back up battery for NEXT 120S     Roughly lasts for 1 hour consecutive door opening/closing cycles	£73.92







#### **Retrofit Kits**

L&F Part code	Product Name	Description	List Price
L- ET-RFO1-150	Label Eterna Retrofit Kit	<ul> <li>Fit 90% of operators on the market</li> <li>For upgrading existing sliding operators</li> <li>Requires LFA-LAB-ET-DSELB to programme</li> <li>Comply with BS: EN16005</li> <li>Belt NOT Included</li> <li>Specify if belt is needed</li> <li>Brushless motor</li> </ul>	£1,120.44
R-RETRO-INCFEM R-RETRO-EXFEM	Record Quick Fit Universal Retrofit Kit	Bespoke brackets to match existing operator For upgrading existing sliding operators All mounted on a single easy to fit module Comply with BS: EN16005 Operator specific kits also available Motor conversion bracket Included (Allows fitting an STA20 motor in place of "Dunkermotor"	£1,323.92 (Incl. Fem) £1,174.90 (Excl. Fem)
G-RETRO-S G-RETRO-B	GILGEN SL35 Retrofit Kit	All fixing & brackets included     Suitable for the below operators     Besam EMD     ASSA UniSlide EMSL     Record STA16 & STA20     Gilgen SLX & SLM     Dormakaba ES200     Please specify which operator when ordering     Comply with BS: EN16005	£1,380.39 (Single Slide) £1,403.92 (Bi-Parting)







L&F Part code	Product Name	Description	List Price
LFA-BEA0100	BEA 4SAFE 900mm	<ul> <li>Swing door safety sensor</li> <li>Works as master or slave</li> <li>Detection field: 400mm W x 70mm D at 2000mm H (4 spots active)</li> <li>Conforms to BS EN 16005</li> <li>IP rating: IP54</li> </ul>	£163.20
LFA-BEA0101	BEA 4SAFE 340mm	<ul> <li>Swing door safety sensor</li> <li>Works as master or slave</li> <li>Detection field: 400mm W x 70mm D at 2000mm H (4 spots active)</li> <li>Conforms to BS EN 16005</li> <li>IP rating: IP54</li> </ul>	£145.07
LFA-BEA0100WC	BEA 4SAFE Weather Cover	• 1100 mm long • Suitable for BEA 4SAFE sensor	£26.10
LFA-BEA0105	BEA FlatScan GO Kit	Swing door safety sensor For doors with anti-trap finger protection profile Detection field: 2.5 m W x 2.5 m H (Laser Technology) Conforms to BS EN 16005 IP rating: IP54	£741.82
LFA-BEA0103	BEA FlatScan SW Kit	<ul> <li>Swing door safety sensor</li> <li>Works as master or slave</li> <li>Detection field: 4 m W x 4 m H (Laser Technology)</li> <li>Conforms to BS EN 16005</li> <li>IP rating: IP54</li> </ul>	£834.55
LFA-BEA0103-RHP	BEA FlatScan Protective cover RH	Right handed     To suit FlatScan SW ONLY	£28.02
LFA-BEA0103-LHP	BEA FlatScan Protective cover LH	Left Handed     To Suit FlatScan SW ONLY	£28.02
LFA-BEA0104	BEA FlatScan 3D Kit	Swing door safety sensor Protects finger guard area Detection field: 4 m diagonal (4 Laser curtains) Conforms to BS EN 16005 IP rating: IP54	£970.96
LFA-BEA0104-SW	BEA FlatScan 3D +SW Kit	1 x FlatScan 3D + 1 x FlatScan SW     Protects finger guard area     Detection field: 4 m diagonal (4 Laser curtains)     Conforms to BS EN 16005     IP rating: IP54	£931.39
LFA-BEA0120	BEA Eagle ARTEK	<ul> <li>Activation sensor</li> <li>Mounting height: 1.8 m to 4 m</li> <li>Conforms to BS EN 16005</li> <li>Max detection field: Wide: 4 m x 2 m   Narrow: 2 m x 2.2 m @ 2.2 m H</li> <li>Replacement for BEA Eagle (now discontinued)</li> </ul>	£121.87
LFA-BEA0120WC	BEA Eagle ARTEK Weather Cover	Suitable for BEA Eagle ARTEK     Finish: Black	£29.48





L&F Part code	Product Name	Description	List Price
LFA-BEA0130	BEA IXIO-DT1	<ul> <li>Activation and threshold safety sensor for sliding doors</li> <li>Uni-directional</li> <li>Mounting height from 2 m to 3.5 m</li> <li>Conforms to BS EN 16005</li> <li>Max infrared field:</li> <li>2.2 m W x 0.5 m D at 2.2 m H</li> <li>4 m W x 2 m D at 2.2 m H</li> </ul>	£202.76
LFA-BEA0131	BEA IXIO-DT3 Escape Route Sensor	<ul> <li>Activation and threshold safety sensor for sliding doors</li> <li>Uni-directional</li> <li>Mounting height from 2 m to 3.5 m</li> <li>Conforms to BS EN 16005</li> <li>Max infrared field:</li> <li>2.2 m W x 0.5 m D at 2.2 m H</li> <li>4 m W x 2 m D at 2.2 m H</li> </ul>	£229.14
LFA-BEA0132	BEA IXIO-ST	<ul> <li>Side screen safety sensor for sliding doors</li> <li>Mounting height from 2 m to 3.5 m</li> <li>Conforms to BS EN 16005</li> <li>Max infrared field: 2.2 m W x 0.5 m D at 2.2 m H</li> </ul>	£150.01
LFA-BEA0133	BEA VIO-DT2	<ul> <li>Activation and threshold safety sensor for sliding doors</li> <li>Bi-directional</li> <li>Mounting height from 1.8 m to 3 m</li> <li>Conforms to BS EN 16005</li> <li>Max infrared field:</li> <li>2.2 m W x 0.5 m D at 2.2 m H</li> <li>Max microwave field:</li> <li>4 m W x 2 m D at 2.2 m H</li> </ul>	£163.20
LFA-BEA0134	BEA VIO-ST	<ul> <li>Side screen safety sensor for sliding doors</li> <li>Mounting height from 1.8 m to 3 m</li> <li>Conforms to BS EN 16005</li> <li>Max infrared field: 2.2 m W x 0.5 m D at 2.2 m H</li> </ul>	£123.64
LFA-BEA0130WC	BEA IXIO & VIO Weather Cover	Suitable for the IXIO & VIO range     Finish: Black	£27.38
LFA-BEA0130CAW	IXIO Ceiling Accessory White	Ceiling accessory for the IXIO range     Finish: White	£63.76
LFA-BEA0130CAB	IXIO Ceiling Accessory Black	Ceiling accessory for the IXIO range     Finish: Black	£63.76
LFA-BEA0130BA	IXIO-D & VIO Bracket Accessory	Bracket accessory for the IXIO-D & VIO range	£13.95
LFA-BEA0140	BEA Remote	Universal remote control for the adjustments of BEA sensors	£19.40
LFA-BEA0141	BEA Spot Finder	Tool for visualising the exact position of infrared curtains	£83.72





L&F Part code	Product Name	Description	List Price
LFA-BEA0150	BEA LZR H100	<ul> <li>Activation, presence, and safety sensor for automatic gates &amp; barriers</li> <li>laser technology</li> <li>Detection range: 9.9 m x 9.9 m</li> <li>IP rating: IP65</li> </ul>	£974.55
LFA-BEA0150HB	BEA LZR H100 Bracket Accessory	Bracket for BEA LZR H100     Ideal to fit on vehicle barriers	£209.08
LFA-BEA0142	BEA Receiver	<ul> <li>Compatible with BEA transmitters</li> <li>12 - 24 V AC / DC</li> <li>Up to 75 transmitters</li> <li>Dims: 63mm W x 50mm D x 19mm H</li> </ul>	£52.99
LFA-BEA0143	BEA Transmitter	• To suit LFA-BEA0142 only • Supplied with battery	£45.92
LFA-BEA0144	BEA 1 Button Fob	• To suit LFA-BEA0142 only	£37.09
LFA-BEA0145	BEA 2 Button Fob	• To suit LFA-BEA0142 only	£37.09
LFA-BEA0146	BEA 4 Button Fob	• To suit LFA-BEA0142 only	£37.09



L&F Part code	Product Name	Description	List Price
LFA-OPT0200	Optex OA Edge T Master 900mm	<ul> <li>Swing door safety sensor</li> <li>Master can also be used as a slave</li> <li>Detection field: 450mm W x 70mm D at 1900mm H (4 spots active)</li> <li>Conforms to BS EN 16005</li> </ul>	£155.78
LFA-0PT0200-S	Optex OA Edge T Slave 900mm	Swing door safety sensor Slave unit ONLY Detection field: 450mm W x 70mm D at 1900mm H (4 spots active) Conforms to BS EN 16005	£146.72
LFA-OPT0201-S	Optex OA Edge T Slave 340mm	<ul> <li>Swing door safety sensor</li> <li>Slave unit ONLY</li> <li>Detection field: 450mm W x 70mm D at 1900mm H (4 spots active)</li> <li>Conforms to BS EN 16005</li> </ul>	£138.47
LFA-OPT0200WC	Optex OA Edge T Weather Cover	• 1200mm long • Suitable for Optex OA-Edge sensors	£32.97
LFA-OPT0210	Optex OM106C	<ul> <li>Activation sensor</li> <li>Mounting height: 2 m to 3.5 m</li> <li>Conforms to BS EN 16005</li> <li>Unidirectional</li> <li>Max detection field: Wide: 4 m x 3 m   Narrow: 2 m x 2.8 m @ 2.2 m H</li> </ul>	£99.73
LFA-OPT0210WC	Optex OM106C Weather Cover	Suitable for Optex OM106C Finish: Clear	£24.73
LFA-OPT0212	Optex Axis-T	<ul> <li>Activation and threshold safety sensor for sliding doors</li> <li>Conforms to BS EN 16005</li> <li>Mounting height from 2 m to 3 m</li> <li>Max detection field: 2.2 m x 2.2 m at 2.2 m H</li> </ul>	£136.00
LFA-OPT0214	Optex OA Presence-TN	<ul> <li>Side screen safety sensor for sliding doors</li> <li>Conforms to BS EN 16005</li> <li>Mounting height from 2 m to 3.5 m</li> </ul>	£123.64
LFA-OPT0216	Optex Dual-T	<ul> <li>Activation and threshold safety sensor for sliding doors</li> <li>Conforms to BS EN 16005</li> <li>Mounting height from 2 m to 3.5 m</li> <li>Max infrared field: 2.7 m x 0.65 m at 2.2 m H</li> </ul>	£151.66
LFA-OPT0212WC	Optex Dual & Axis Weather Cover	Suitable for Optex Dual & Axis sensors     Finish: Black	£28.85



#### H (i) T R O N Sensors & Accessories

L&F Part code	Product Name	Description	List Price
LFA-HOT0300	Hotron SSS-5 360mm	<ul> <li>Swing door safety sensor</li> <li>Max installation height: 2600mm</li> <li>Detection field: 900mm W at 2200mm H</li> <li>Conforms to BS EN 16005</li> <li>IP rating: IP54</li> </ul>	£162.38
LFA-HOT0302	Hotron SSS-5 1023mm	<ul> <li>Swing door safety sensor</li> <li>Max installation height: 2600mm</li> <li>Detection field: 900mm W at 2200mm H</li> <li>Conforms to BS EN 16005</li> <li>IP rating: IP54</li> </ul>	£170.48
LFA-HOT0300-WC	Hotron SSS-5 Weather Cover	1115mm long     Suitable for Hotron SSS-5 sensors	£34.67
LFA-HOT0303	Hotron HR50-UNI	<ul> <li>Activation sensor</li> <li>Mounting height: 4 m</li> <li>Conforms to BS EN 16005</li> <li>Unidirectional</li> <li>Max detection field: Wide: 4 m x 2.5 m   Narrow: 1.5 m x 2.5 m @ 2.2 m H</li> </ul>	£91.05
LFA-HOT0303-WC	Hotron HR50-UNI Weather Cover	Suitable for Hotron HR50 sensors     Finish: Clear	£32.19
LFA-HOT0304	Hotron HR100-CT	<ul> <li>Activation and threshold safety sensor for sliding doors</li> <li>Conforms to BS EN 16005</li> <li>Mounting height from 2 m to 3 m</li> <li>Max detection field: 3.2 m x 2.5 m</li> <li>Active infrared detection</li> </ul>	£152.19
LFA-HOT0305	Hotron 3H-IR14C	<ul> <li>Side screen safety &amp; activation sensor for sliding doors</li> <li>Conforms to BS EN 16005</li> <li>Mounting height from 2 m to 3 m</li> <li>Max detection field: 3 m x 2 m</li> <li>Active infrared detection</li> </ul>	£114.29
LFA-HOT0306	Hotron SSR-3	<ul> <li>Activation and threshold safety sensor for sliding doors</li> <li>Conforms to BS EN 16005</li> <li>Mounting height from 2 m to 3.2 m</li> <li>Max detection field: 4 m x 4 m</li> <li>Microwave &amp; active infrared detection</li> </ul>	£180.95
LFA-HOT0307	Hotron SSR-3ER	<ul> <li>Activation and threshold safety sensor for escape routes</li> <li>Conforms to BS EN 16005</li> <li>Mounting height from 2 m to 3.2 m</li> <li>Max detection field: 4 m x 4 m</li> <li>Microwave &amp; active infrared detection</li> </ul>	£200.00
LFA-HOT0304-WC	Hotron Universal Weather Cover	• Suitable for Hotron HR100-CT, 3H-IR14C & SSR-3 range • Finish: Black	£40.19
LFA-HOT0310	Hotron WT-400 Wireless Switch	Illuminates upon activation 24 month battery life Dims: 40mm W x 150mm H x 13mm D Requires WR-24 receiver (LFA-HOT0310-R) IP rating: IP54	£76.19



#### H (i) T R O N Sensors & Accessories

L&F Part code	Product Name	Description	List Price
LFA-HOT0310-R	Hotron WR-24 Receiver	• Receiver to suit Hotron WT-400 & AerWave switches	£71.43
LFA-HOT0311	Hotron Clearwave Touchless Switch	Detection range from 5-40 cm     3 different faceplate included     Dims: 86mm W x 86mm H x 20mm D     IP rating: IP55	£95.24
LFA-HOT0312	Hotron AerWave Wireless Touchless Switch	<ul> <li>Detection range from 1-15cm</li> <li>2 different faceplates included</li> <li>Dims: 95mm W x 95mm H x 20mm D</li> <li>IP rating: IP65</li> </ul>	£104.76



L&F Part code	Product Name	Description	List Price
PUSH -copeN	'Push To Open' Square Push Pad	<ul> <li>Includes back box &amp; transmitter</li> <li>Easy access port to change battery</li> <li>114mm x 114mm</li> </ul> • Compatible with LFA-2033-R • Hardwired version available	£109.07
LFA-2033-3	Wheelchair Logo 'Push To Open' Square Push Pad	<ul> <li>Includes back box &amp; transmitter</li> <li>Easy access port to change battery</li> <li>114mm x 114mm</li> </ul> • Compatible with LFA-2033-R • Hardwired version available	£109.07
LFA-2034-2	'Push To Open' Slim Push Pad	<ul> <li>Includes back box &amp; transmitter</li> <li>Compatible with LFA-2033-R</li> <li>114mm x 44mm</li> </ul>	£103.61
LFA-2034-3	Wheelchair Logo 'Push To Open' Slim Push Pad	<ul> <li>Includes back box &amp; transmitter</li> <li>Compatible with LFA-2033-R</li> <li>114mm x 44mm</li> </ul>	£103.61
LFA-2033-R	Receiver For Stainless Steel Push Pads	<ul> <li>Self-learning radio receiver</li> <li>4 channels</li> <li>Up to 30 users</li> <li>Dims: 59mm x 34mm x 20mm</li> </ul>	£49.67
LFA-2033-T	Transmitter For Stainless Steel Push Pads	<ul> <li>433.92 MHz transmitter</li> <li>2 Channels</li> <li>Includes 9v battery</li> <li>Battery life greater than 650,000 operations</li> </ul>	£43.18
LFA-2033-BB	Back Box For Square Push Pads	Retained battery removal door     Dims: 116mm x 116mm x 45mm	£16.40
LFA-2034-BB	Back Box For Slim Push Pads	• Dims: 116mm x 116mm x 45mm	£29.33
LFA-2000	Slim White & Green Domed Push Button	Includes back box & security screws     IP54	£9.77
10 ENF	Standard White & Green Domed Push Button	Includes back box & security screws     IP54	£9.77
LFA-2002	Slim Light Switch Style Button	<ul><li>Includes back box &amp; security screws</li><li>IP54</li><li>Antibacterial Surface</li></ul>	£9.77



L&F Part code	Product Name	Description	List Price
LFA-2003	Standard Light Switch Style Button	Includes back box & security screws     IP54     Antibacterial Surface	£9.77
LFA-2004	Large Light Switch Style Button	Includes back box & security screws     IP54     Antibacterial Surface	£12.31
LFA-2005	Slim Stainless Steel Flat Push Button	Includes back box & security screws     IP54	£18.40
LFA-2006	Standard Stainless Steel Flat Push Button	Includes back box & security screws     IP54	£20.91
LFA-2007	Slim Green Dome Button	Includes back box & security screws     Switch Only IP66	£19.01
LFA-2008	Standard Green Dome button	Includes back box & security screws     Switch Only IP66	£19.01
LFA-2009	Standard Stainless Steel Dome Button	Includes back box & metal surround with security screws     Switch Only IP66	£28.23
LFA-2010	Surface Mount Stainless Steel Green Dome Button	Includes back box ONLY & security screws     Switch Only IP66	£21.54
LFA-2011	Surface Mount Stainless Steel Red Dome Button	Does NOT include back box     Switch Only IP66     REQUIRES LFA-2011-BB	£9.22
LFA-2011-BB	Black back box to suit LFA-2011	• To suit LFA-2011 & LFA-2010	£21.54
LFA-2012	Large Green & Stainless Steel Exit Button	Includes back box & security screws     IP55	£24.06



L&F Part code	Product Name	Description	List Price
LFA-2013	Weatherproof IP65 Stainless Steel Green Button & Rainshield	<ul> <li>Includes rainshield enclosure &amp; security screws</li> <li>Includes gasket &amp; cable gland</li> <li>IP66</li> </ul>	£38.27
LFA-2014	Touchless Illuminated Exit Switch	<ul><li>Includes back box &amp; security screws</li><li>Includes range adjustment &amp; integral timer</li><li>IP65 Button Only</li></ul>	£38.78
LFA-2015	Antibacterial Touchless Illuminated Exit Switch	Working range of 0 - 150mm     Antibacterial surface     IP65 Button Only	£23.10
LFA-2016	DDA Circular Push Plate	<ul> <li>Includes back box &amp; security screws</li> <li>IP55</li> <li>Complies to BS 8300</li> <li>Active 360° operation</li> </ul>	£19.01
LFA-2017	DDA Vandal-resistant Circular Push Plate	• REQUIRES LFA-2017-BB • IP55 • Complies to BS 8300 • Active 360° operation	£38.04
LFA-2017-BB	DDA Back Box	• To Suit LFA-2017 & LFA-2019 • Dims: 128mm H x 128mm W x 36mm D	£10.30
LFA-2018	DDA Vandal-resistant Jamb Push Pad	Includes back box & security screws     Switch Only IP66	£41.03
LFA-2019	DDA Vandal-resistant Square Push Pad	Includes back box & security screws     Switch Only IP66	£43.09
LFA-2020	Push To Open Weatherproof Button	Includes back box & metal surround with security screws     Switch Only IP66	£48.38
LFA-2021	Gate Release Weatherproof Button	Includes back box ONLY & security screws     Switch Only IP66	£48.38
LFA-2035	Stainless Steel Button Cover	• Dims: 100mm x 100mm x 120mm	£67.20



L&F Part code	Product Name	Description	List Price
Touch to FO	Square Hardwired Touch Pad	<ul><li>Includes back box</li><li>4 position sensitivity adjustment (Touch to hands free)</li><li>IP65</li></ul>	£70.00
Touch Open IFA-2026W	Square Wireless Touch Pad	<ul> <li>Includes back box &amp; transmitter</li> <li>4 position sensitivity adjustment (Touch to hands free)</li> <li>IP65</li> </ul>	£83.33
Touch be 10 Open	Square Illuminated Touch Pad	<ul> <li>Selectable red, blue &amp; green LED's</li> <li>4 position sensitivity adjustment (Touch to proximity)</li> <li>IP54</li> </ul>	£81.03
LFA-2027-NT	Square Illuminated Touchless Pad	<ul> <li>Approximately 15-20mm activation range (Touch free)</li> <li>Max 50m distance between touch sensor and RX receive</li> <li>IP65</li> </ul>	£83.33
Touch to Floopen	Round Hardwired Touch Pad	<ul><li>Includes back box</li><li>4 position sensitivity adjustment (Touch to hands free)</li><li>IP65</li></ul>	£60.51
Touch to Fr Open	Round Wireless Touch pad	<ul><li>Includes back box &amp; transmitter</li><li>4 position sensitivity adjustment (Touch to hands free)</li><li>IP65</li></ul>	£75.56
LFA-2029	Architrave Style Hardwired Touch Pad	<ul><li>Includes back box</li><li>4 position sensitivity adjustment (Touch to hands free)</li><li>IP65</li></ul>	£52.38
LFA-2029W	Architrave Style Wireless Touch Pad	<ul> <li>Includes back box &amp; transmitter</li> <li>4 position sensitivity adjustment (Touch to hands free)</li> <li>IP65</li> </ul>	£71.11
LFA-2030	Receiver To Suit Touch Pads	<ul> <li>Momentary or bi-stable, selectable by dipswitch</li> <li>200 code memory</li> <li>Max 50m range</li> <li>Dims: 65mm x 50mm x 30mm</li> </ul>	£31.43
LFA-2032	Mini Receiver	Designed to fit inside operator covers     868MHz radio     40 code memory     Dims: 38mm W x 22mm H x 4mm D	£36.00
LFA2032-T	Mini Transmitter	To suit LFA-2030 or LFA-2032 receiver Includes battery	£44.90



L&F Part code	Product Name	Description	List Price
LFA-2031-1	Metal 1 Channel Transmitter	Compatible with LFA-2030     50 metre range     Includes 2 x CR2016 3v lithium batteries	£23.71
LFA-2031-2	Metal 2 Channel Transmitter	<ul> <li>Compatible with LFA-2030 or LFA-2032</li> <li>50 metre range</li> <li>Includes 2 x CR2016 3v lithium batteries</li> </ul>	£21.81
LFA-2031-4	Metal 4 Channel Transmitter	Compatible with LFA-2030 or LFA-2032  50 metre range Includes 2 x CR2016 3v lithium batteries	£28.86
LFA-2022	Toilet Door Kit Round Style	Key switch on external sensors for emergency entry     Timed clean output for auto door operation     All switches are antimicrobial	£461.51
LFA-2024	Toilet Door Kit Single Gang	Key switch on external sensors for emergency entry     Timed clean output for auto door operation     All switches are antimicrobial	£461.51
LFA-2200	Latching 2 Position Key Switch	<ul> <li>Includes shrouded back box &amp; security screws</li> <li>Dims: 85mm H x 85mm W x 40mm D</li> <li>Latching operation (Maintained) - double pole</li> <li>IP64</li> </ul>	£24.06
LFA-2201	Momentary Key switch	Includes shrouded back box & security screws     Dims: 85mm H x 85mm W x 40mm D     Momentary operation (Non Maintained) - changeover single pole     IP64	£24.06
LFA-2202	Stainless Steel 2 Position Key Switch	Includes back box & keys     ON / OFF Maintained     Can be fitted surface or flush     Dims: 84mm x 40mm x 41mm	£34.57
LFA-2206	Stainless Steel Momentary Key Switch	<ul> <li>Includes back box &amp; keys</li> <li>ON / OFF Maintained</li> <li>Momentary operation (Non Maintained) - changeover single pole</li> <li>Can be fitted surface or flush</li> <li>Dims: 84mm x 40mm x 41mm</li> </ul>	£34.57
LFA-2204	Jamb 2 Position Key Switch	Includes back box & keys     ON / OFF Maintained     Can be fitted surface or flush     Dims: 120mm x 50mm x 47mm	£33.60
LFA-2202-KEY	2803 Spare Key	Spare key to suit LFA-2202 & LFA-2204     Supplied as a pair	£5.07



L&F Part code	Product Name	Description	List Price
LFA-2203	Stainless Steel 3 Position Key Switch	<ul> <li>Includes back box &amp; keys</li> <li>AUTO / OFF / HOLD OPEN Maintained</li> <li>Can be fitted surface or flush</li> <li>Dims: 84mm x 40mm x 41mm</li> </ul>	£40.95
LFA-2205	Jamb 3 Position Key Switch	<ul> <li>Includes back box &amp; keys</li> <li>AUTO / OFF / HOLD OPEN Maintained</li> <li>Can be fitted surface or flush</li> <li>Dims: 120mm x 50mm x 47mm</li> </ul>	£40.95
LFA-2203-KEY	606 Spare Key	• Spare key to suit LFA-2203 & LFA-2205 • Supplied as a pair	£5.07
LFA-2207	Jamb 5 Position Key Switch	<ul> <li>Includes back box &amp; keys</li> <li>AUTO / OFF / HOLD OPEN / ONE WAY / NIGHT Maintained</li> <li>Can be fitted surface or flush</li> <li>Dims: 120mm x 50mm x 47mm</li> </ul>	£65.62



## **Finger Guards & Barriers**

L&F Part code	Product Name	Description	List Price
LFA500	LFA500 1925mm Roller Finger Guard Silver	Cycle tested to 1,000,000 operations     Max fabric travel: 260mm     Cannot be cut down     BS8613:2017 - Class 2	£121.06
LFA500-B	LFA500 1925mm Roller Finger Guard Black	Cycle tested to 1,000,000 operations     Max fabric travel: 260mm     Cannot be cut down     BS8613:2017 - Class 2	£127.21
LFA500-EN	LFA500 2000mm Roller Finger Guard Silver	Cycle tested to 1,000,000 operations     Max fabric travel: 260mm     EN16005 compliant     BS8613:2017 - Class 2	£129.85
LFA500-BEN	LFA500 2000mm Roller Finger Guard Black	Cycle tested to 1,000,000 operations     Max fabric travel: 260mm	£139.73
LFA-FP100	FP100 1800mm Hinge Finger Guard	<ul> <li>Fitted to most single action doors including automatic doors</li> <li>Supplied predrilled &amp; countersunk</li> <li>Suitable for standard 13mm diameter hinges</li> <li>Supplied with self-adhesive tape</li> </ul>	£39.70
LFA-FP200	FP200 1925mm Roller Finger Guard Silver	Cycle tested to 1,000,000 operations     Max fabric travel: 260mm	£139.27
LFA-FP200-BL	FP200 1925mm Roller Finger Guard Bronze	Cycle tested to 1,000,000 operations     Max fabric travel: 260mm	£139.27
LFA-FP200-WH	FP200 1925mm Roller Finger Guard White	Cycle tested to 1,000,000 operations     Max fabric travel: 260mm	£139.27
LFA-2000X	FP200 2015mm Roller Finger Guard Silver	<ul> <li>Cycle tested to 1,000,000 operations</li> <li>Max fabric travel: 260mm</li> <li>Suitable for 60 min fire doors</li> <li>EN16005 compliant</li> <li>BS8613:2017 - Class 2</li> </ul>	£154.31
LFA-FP300	FP300 1925mm, Glass Door Finger Guard	<ul> <li>Suits most single and double action doors including automatic doors</li> <li>Supplied without fixing holes</li> <li>Supplied with acrylate-foam high performance tape</li> <li>Cycle tested to 1,000,000 operations</li> </ul>	£170.90
LFA-FP800	FP800 External Roller Finger Guard	Fitted to most single action doors including automatic doors     Weather proof fabric and profile designed to reduce water ingress     Maximum fabric travel 260mm     Cycle tested to 200,000 operations	£189.67



## **Finger Guards & Barriers**

L&F Part code	Product Name	Description	List Price
LFA-3050	Rubber Finger Guard	Tested to BS 8613:2017 Class 1 Length: 2100mm Opening angle: 0-180 degree	£53.33
LFA-3051	White Plastic Finger Guard Cavity Side	• Length: 1980mm • Opening angle: up to 180 degree	£29.52
LFA-3052	White Plastic Finger Guard Hinge Side	• Length: 1980mm • Opening angle: up to 180 degree	£24.67
LFA-3053	Brown Plastic Finger Guard Cavity Side	• Length: 1980mm • Opening angle: up to 180 degree	£29.52
LFA-3054	Brown Plastic Finger Guard Hinge Side	• Length: 1980mm • Opening angle: up to 180 degree	£24.67
LFA-3000	Floor To Wall Barrier RAL 9006	900mm W x 900mm H     RAL 9006 STOCKED     Slight adjustment in mounting foot     Laminated glass	£252.48
LFA-3000-P	Floor To Wall Solid Infill Barrier RAL 9006	<ul> <li>900mm W x 900mm H</li> <li>7 - 10 day lead time</li> <li>Slight adjustment in mounting foot</li> <li>Solid infill panel</li> </ul>	£411.47
LFA-3000-W	Floor To Wall Barrier RAL 9016	900mm W x 900mm H     RAL 9016 STOCKED     Slight adjustment in mounting foot     Laminated glass	£252.48
LFA-3001	Floor To Floor Barrier RAL 9006	• 900mm W x 900mm H • RAL 9006 STOCKED • Slight adjustment in mounting feet • Laminated glass	£267.47
LFA-3001-P	Floor To Floor Solid Infill Barrier RAL 9006	• 900mm W x 900mm H • 7 - 10 day lead time • Slight adjustment in mounting feet • Solid infill panel	£436.65
LFA-3001-W	Floor To Floor Barrier RAL 9016	• 900mm W x 900mm H  • RAL 9016 STOCKED  • Slight adjustment in mounting feet  • Laminated glass	£267.47



## **Finger Guards & Barriers**

L&F Part code	Product Name	Description	List Price
LFA-3002	Floor To Wall Extended Barrier RAL 9006	• 1100mm W x 900mm H • 7 - 10 working days lead time • Slight adjustment in mounting foot • Laminated glass	£276.04
LFA-3002-P	Floor To Wall Extended Solid - Infill Barrier RAL 9006	<ul> <li>1100mm W x 900mm H</li> <li>7 - 10 working days lead time</li> <li>Slight adjustment in mounting foot</li> <li>Solid infill panel</li> </ul>	£476.12
LFA-3002-W	Floor To Wall Extended Barrier RAL 9016	<ul> <li>1100mm W x 900mm H</li> <li>7 - 10 working days lead time</li> <li>Slight adjustment in mounting foot</li> <li>Laminated glass</li> </ul>	£276.04
LFA-3003	Floor To Floor Extended Barrier RAL 9006	• 1100mm W x 900mm H • 7 - 10 working days lead time • Slight adjustment in mounting feet • Laminated glass	£289.93
LFA-3003-P	Floor To Floor Extended Solid - Infill Barrier RAL 9006	<ul> <li>1100mm W x 900mm H</li> <li>7 - 10 working days lead time</li> <li>Slight adjustment in mounting feet</li> <li>Solid infill panel</li> </ul>	£471.83
LFA-3003-W	Floor To Floor Extended Barrier RAL 9016	• 1100mm W x 900mm H • 7 - 10 working days lead time • Slight adjustment in mounting feet • Laminated glass	£289.93





L&F Part code	Product Name	Description	List Price
LFA-2230	Illuminated Emergency Door Release Single Pole	Includes back box & security screws     IP24     Buzzer & LED indicator     Single pole voltage free contacts     Dims: 85mm x 88mm x 51mm	£11.30
LFA-2231	Illuminated Emergency Door Release Double Pole	Includes back box & security screws     Buzzer & LED indicator     Double pole voltage free contacts     IP24     Dims: 85mm x 88mm x 51mm	£15.60
LFA-2232	Illuminated Emergency Door Release Triple Pole	Includes back box & security screws     Buzzer & LED indicator     Triple pole voltage free contacts     Dims: 85mm x 88mm x 51mm	£20.69
LFA-2233	Exit Button With Emergency Door Release	<ul> <li>Includes back box &amp; security screws</li> <li>Buzzer &amp; LED indicator</li> <li>3 voltage free contacts</li> <li>IP24</li> <li>Dims: 160mm x 90mm x 63mm</li> </ul>	£32.59
LFA-2234	Stainless Exit Button With Emergency Door Release	Includes back box & security screws     Buzzer & LED indicator     3 voltage free contacts     IP24     Dims: 160mm x 90mm x 42mm	£37.66
LFA-2235	Touchless Exit Switch With Emergency Door Release	<ul> <li>Includes back box &amp; security screws</li> <li>Buzzer &amp; LED indicator</li> <li>3 voltage free contacts</li> <li>IP24</li> <li>Dims: 160mm x 90mm x 42mm</li> </ul>	£50.32
LFA-2230-KEY	Reset Key For Emergency Door Release	• Reset key for use with the dual units & emergency door release units	£1.52
LFA-2250	KP50 Keypad	<ul> <li>Up to 100 users</li> <li>Internal/External</li> <li>With latching feature</li> <li>Dims: 125mm x 79mm x 54mm</li> </ul>	£88.71
LFA-2251	KPX50 Keypad & Proximity Reader	<ul><li>Up to 100 users</li><li>Internal/External</li><li>With latching feature</li><li>Dims: 125mm x 79mm x 54mm</li></ul>	£114.07
LFA-2252	KPX75 Slim Keypad & Proximity Reader	• Up to 1000 users • IP65 • Dims: 180mm x 46mm x 25mm	£114.07
LFA-2253	KP1000 Keypad	Up to 500 users Only external if used with rainshield Dims: 120mm x 76mm x 27mm	£70.98



L&F Part code	Product Name	Description	List Price
LFA-2254	KPX1000 Keypad & Proximity Reader	<ul> <li>Up to 500 users</li> <li>Only external if used with rainshield</li> <li>Dims: 120mm x 76mm x 27mm</li> <li>5 x free fobs</li> </ul>	£86.88
LFA-2259	KPX2000 Keypad	<ul> <li>Up to 500 users</li> <li>Only external if used with rainshield</li> <li>Dims: 120mm x 76mm x 27mm</li> <li>5 x free fobs</li> <li>Additional wiegand input</li> <li>Alarm input</li> <li>Doorbell &amp; backlit buttons</li> </ul>	£96.32
LFA-2258	KPX2000 Keypad With IP Proximity Reader	<ul> <li>Up to 500 users</li> <li>Only external if used with rainshield</li> <li>Dims: 120mm x 76mm x 27mm</li> <li>5 x free fobs</li> <li>Additional wiegand input</li> <li>Alarm input</li> <li>Doorbell &amp; backlit buttons</li> </ul>	£125.45
LFA-2255	Rainsheild For KP & KPX Range	• to suit KP1000/2000 & KPX1000/2000 • Includes a rear face rubber grommet to prevent water ingress	£12.50
LFA-2256	Proximity Fob For KPX Range	• To suit KPX50, KPX75, KPX1000 & KPX2000	£2.32
LFA-2257	Proximity Card For KPX Range	• To suit KPX50, KPX75, KPX1000 & KPX2000 • Dims: 85mm x 54mm	£2.17
LFA-2260	Vanderbilt V42 Keypad	Updated version of Bewator K42 four digit codes IP54	£135.70
LFA-2260-FBB	Flush Back Box For V42 Keypad	• To suit V42 Keypad or LFA-2260	£67.77
LFA-2261	ACT 10 Keypad	• 10 user codes • 2 Output relays • IP54	£144.35
LFA-2262	ACT 5 Keypad	10 four digit user codes     5 Amp door relay output     IP55	£102.02
LFA-2263	ACT5-EM Keypad & Prox	<ul> <li>10 four digit user codes</li> <li>5 Amp door relay output</li> <li>Combined keypad &amp; proximity reader</li> <li>IP55</li> </ul>	£158.27



L&F Part code	Product Name	Description	List Price
LFA-2264	APX-11 Stand-Alone WiFi Keypad	Works with free "eWeLink" app Four to six digit PIN 12/24V DC power input	£69.49
LFA-2265	APX-16 Stand-Alone Heavy Duty Keypad	Digit PIN with optional proximity cards     Lock relay 0-99 seconds     IP65	£108.27
LFA-2266	APX-16/PROX Stand-Alone Heavy Duty Keypad & Prox	Digit PIN with 10 proximity cards Lock relay 0-99 seconds IP65	£117.77
LFA-2266-CARD	Proximity Card For APX-16 Prox Reader	Proximity card to suit APX-16/PROX or LFA-2266	£2.02
LFA-2267	APX-18 Stand-Alone WiFi Prox Reader	Waterproof IP66     One relay     Easy programming by master cards or remote control	£80.44
LFA-2268	APX-19 Stand-Alone Mifare Prox Reader	Waterproof IP66     One relay     Easy programming by master cards or remote control	£86.21
LFA-2350	Slimline Unmonitored Mortice Magnet	<ul> <li>280 kg Holding force</li> <li>Magnet size: 230mm x 36mm x 30mm</li> <li>Armature plate size: 180mm x 38mm x 8mm</li> <li>For use on sliding doors</li> </ul>	£39.29
LFA-2351	Slimline Magnet	<ul> <li>280 kg Holding force</li> <li>Magnet size: 250mm x 46mm x 24mm</li> <li>Fail safe</li> <li>Suitable for wooden, metal or glass doors</li> </ul>	£32.26
LFA-2351-M	Slimline Monitored Magnet	<ul> <li>280 kg Holding force</li> <li>Magnet size: 250mm x 46mm x 24mm</li> <li>Fail safe</li> <li>Suitable for wooden, metal or glass doors</li> </ul>	£38.03
LFA-2351-L	Slimline Adjustable L Bracket	• To suit LFA-2351 & LFA-2351-M • Dims: 250mm x 47mm x 28mm	£11.87
LFA-2351-ZL	Slimline Adjustable Z & L Bracket	•To suit LFA-2351 & LFA-2351-M	£17.16



L&F Part code	Product Name	Description	List Price
LFA-2351-A	Slimline Armature Housing	• To suit LFA-2351 & LFA-2351-M	£12.68
LFA-2352	Double Slimline Magnet	<ul> <li>280 kg x 2 Holding force</li> <li>Magnet size: 500mm x 46mm x 24mm</li> <li>Fail safe</li> <li>Suitable for wooden, metal or glass doors</li> </ul>	£70.98
LFA-2352-M	Double Slimline Monitored Magnet	<ul> <li>280 kg x 2 Holding force</li> <li>Magnet size: 500mm x 46mm x 24mm</li> <li>Fail safe</li> <li>Suitable for wooden, metal or glass doors</li> </ul>	£83.66
LFA-2352-L	Slimline Adjustable Double L Bracket	• To suit LFA-2352 & LFA-2352-M • Dims: 500mm x 47mm x 28mm	£23.75
LFA-2352-ZL	Slimline Adjustable Double Z & L Bracket	• To suit LFA-2352 & LFA-2352-M	£34.34
LFA-2353	Standard Magnet	<ul> <li>545 kg Holding force</li> <li>Magnet size: 265mm x 73mm x 40mm</li> <li>Fail safe</li> <li>Suitable for wooden, metal or glass doors</li> </ul>	£65.90
LFA-2353-M	Standard Monitored Magnet	<ul> <li>545 kg Holding force</li> <li>Magnet size: 265mm x 73mm x 40mm</li> <li>Fail safe</li> <li>Suitable for wooden, metal or glass doors</li> </ul>	£70.98
LFA-2353-L	Standard Adjustable L Bracket	• To suit LFA-2353 & LFA-2353-M	£13.82
LFA-2353-ZL	Standard Adjustable Z & L Bracket	• To suit LFA-2353 & LFA-2353-M	£29.15
LFA-2353-A	Standard Armature Housing	• To suit LFA-2353 & LFA-2353-M	£21.55
LFA-2354-M	Double Standard Monitored Magnet	<ul> <li>545 kg x 2 Holding force</li> <li>Magnet size: 520mm x 73mm x 40mm</li> <li>Fail safe</li> <li>Suitable for wooden, metal or glass doors</li> </ul>	£147.00



L&F Part code	Product Name	Description	List Price
LFA-2354-L	Standard Double L Bracket	• To suit LFA-2354-M • Dims: 532mm x 73mm x 46mm	£27.66
LFA-2354-ZL	Standard Adjustable Double Z & L Bracket	• To suit LFA-2354-M	£58.30
LFA-2355	External Gate Magnet	<ul> <li>280 kg Holding force</li> <li>Magnet size: 220mm x 60mm x 40mm</li> <li>Fail safe</li> <li>Suitable for all doors &amp; gates</li> </ul>	£69.28
LFA-2356	External Monitored Gate Magnet	<ul> <li>280 kg Holding force</li> <li>Magnet size: 220mm x 60mm x 40mm</li> <li>Fail safe</li> <li>Suitable for all doors &amp; gates</li> </ul>	£74.34
LFA-2355-ZL	Adjustable Z & L Bracket For External Magnet	• To suit LFA-2355 & LFA-2356	£18.90
LFA-2357	External Heavy Duty Gate Magnet	<ul><li>545 kg Holding force</li><li>Fail safe</li><li>Suitable for all doors &amp; gates</li></ul>	£74.82
LFA-2357-ZL	Adjustable Z & L Bracket For External Heavy Duty Magnet	• To suit LFA-2357	£29.17
LFA-2400	Fail Secure Electric Strike	<ul> <li>Fail Secure 12v ac/dc</li> <li>Includes an override "snip for permanent release"</li> <li>Rim: 100mm H x 32mm W x 25mm D</li> <li>Mortise: 160mm H x 32mm W x 25mm D</li> </ul>	£15.20
LFA-2401	Fail Secure ANSI style Electric Strike	• Fail Secure 12v ac/dc • Dims: 150mm H x 27/39mm W x 43mm D	£35.49
LFA-2402	Fail Safe ANSI style Electric Strike	• Fail Safe12v ac/dc • Dims: 150mm H x 27/39mm W x 43mm D	£35.49
LFA-2403	Standard Shearlock	<ul> <li>1180 kg Holding force</li> <li>Fail safe</li> <li>Magnet: 148mm L x 42mm W x 38mm D</li> <li>Armature: 148mm L x 42mm W x 38mm D</li> </ul>	£139.42





L&F Part code	Product Name	Description	List Price
LFA-2403-GB	Glass Door Bracket For LFA-2403	• To suit LFA-2403 • Suitable for doors from 10 - 14mm	£48.38
LFA-2403-SB	Surface Door Bracket For LFA-2403	• To suit LFA-2403 • Dims: 231mm L x 44mm W x 46mm D	£64.51
LFA-2404	AL900 Electric Strike	<ul> <li>Supplied with long &amp; short faceplate</li> <li>12/24V AC/DC</li> <li>Fail safe/Fail secure settable</li> <li>Easy replacement for Adams Rite, Trimec &amp; Alpro strikes</li> </ul>	£86.64
LFA-2405	AER134 Mortice Solenoid Bolt	<ul> <li>Kick-in Current: 1A at 12V</li> <li>Suitable for single or double swing doors</li> <li>Dual monitoring of the door position and bolt position</li> </ul>	£110.94
LFA-2405-WD	Surface Housing For Wood Door	• To suit LFA-2405	£78.59
LFA-2405-GD	Surface Housing For Glass Door	• To suit LFA-2405	£64.72
LFA-2406	AER180 Slim Mortice Solenoid Bolt	<ul> <li>Kick-in Current: 1A at 12V</li> <li>Suitable for single or double swing doors</li> <li>Dual monitoring of the door position and bolt position</li> </ul>	£217.37
LFA-2407	Fail Safe Mortice Drop Bolt	<ul> <li>1000kg Holding force</li> <li>Monitored locking plate &amp; delay timer 0/3/6/9 Secs</li> <li>Dims: 200mm H x 35mm W x 38mm D</li> </ul>	£76.04
LFA-2408	Fail Safe Mortice Drop Bolt With Door Status	<ul> <li>1000kg Holding force</li> <li>Monitored locking plate with door status</li> <li>Delay timer 0/3/6/9 Sec</li> <li>Dims: 200mm H x 35mm W x 38mm D</li> </ul>	£80.00
LFA-2409	Glass Door Drop Bolt	• 1000kg Holding force • Delay timer 0/3/6/9 Sec	£103.92





L&F Part code	Product Name	Description	List Price
LFA-2550	1 Amp 12 V Power Supply	• 13.8vdc • Dims: 225mm H x 200mm W x 75mm D	£29.62
LFA-2550-1	1 Amp 24 V Power Supply	• 27.6vdc • Dims: 310mm H x 340mm W x 80mm D	£58.25
LFA-2550L	1 Amp 12 V Power Supply Large Housing	• 13.8vdc • Dims: 310mm H x 340mm W x 80mm D	£51.90
LFA-2551	3 Amp 12 V Power Supply	• 13.8vdc • Dims: 225mm H x 200mm W x 75mm D	£58.17
LFA-2551-1	3 Amp 24 V power Supply	• 27.6vdc • Dims: 310mm H x 340mm W x 80mm D	£84.38
	3 Amp 12 V Power Supply Large Housing	• 13.8vdc • Dims: 310mm H x 340mm W x 80mm D	£67.16
LFA-2551L	5 Amp 12 V Power Supply	• 13.8vdc • Dims: 310mm H x 340mm W x 80mm D	£107.28
LFA-2552-1	5 Amp 24 V Power Supply	• 27.6vdc • Dims: 310mm H x 340mm W x 80mm D	£121.16
LFA-2554	Yuasa 12V 7Ah Battery	• Lead Acid • Dims: 151mm L x 97.5mm H x 65mm W	£26.56
LFA-2555	Yuasa 12V 17Ah Battery	• Lead Acid • Dims: 167mm L x 181mm H x 76mm W	£77.93
LFA-2556	Yucel 12V 7Ah Battery	• Lead Acid • Dims: 151mm L x 97.5mm H x 65mm W	£22.47







L&F Part code	Product Name	Description	List Price
LFA-2557	Yucel 12V 17Ah Battery	• Lead Acid • Dims: 167mm L x 181mm H x 76mm W	£61.31
LFA-2570	Multi Purpose Relay	<ul> <li>AC or DC input</li> <li>With double output 30v rated contacts to switch 5 Amps</li> <li>Dims: 75mm H x 45mm W x 28mm D</li> </ul>	£13.81
LFA-2571	LED Count Down Timer Relay	<ul> <li>With single 30v ac/dc output rated contacts to switch 5 Amps</li> <li>1 second to 999 minutes</li> <li>Dims: 76mm H x 40mm W x 17mm D</li> </ul>	£28.53
LFA-2572	Simple Timer Module	<ul> <li>To be used to make a time delay between an exit button and lock</li> <li>0 to 15 second timer</li> <li>Dims: 61mm H x 48mm W x 18mm D</li> </ul>	£17.28
LFA-2573	Door Lock Interface Module	Allows for the connection and control of two doors     Dims: 69mm H x 60mm W x 15mm D	£20.29
LFA-2574	24V to 12V Voltage Reducer	Reduces 24 volts to 12 volts     Dims: 40mm H x 38mm W x 15mm D	£19.01
LFA-2575	Multi Purpose DC Voltage Reducer	<ul> <li>Offers an input from 32vdc with multiple STEP DOWN outputs</li> <li>24, 12, 9, 6 &amp; 3 all at 1A</li> <li>Dims: 53mm H x 39mm W x 13mm D</li> </ul>	£22.48
LFA-2585	450mm Metal Door Loop	• With metal end caps	£10.95
LFA-2586	600mm Metal Door Loop	• With metal end caps	£12.06
LFA-2587	400mm Metal Door Loop	With white plastic end caps	£8.76
LFA-2595	Wall Mount Door Hold Open Magnet	<ul> <li>To retain fire exit doors in an open position</li> <li>Triggered on fire alarm</li> <li>Dims: 65mm H x 65mm W x 46mm D</li> </ul>	£32.97





L&F Part code	Product Name	Description	List Price
LFA-2595B	Black Floor Mount Bracket	• To suit LFA-2595 • Dims: 120mm H x 90mm W x 40mm D	£10.15
LFA-2595C	Black Armature & Chain	• To suit LFA-2595 • Length 950mm	£34.57
LFA-2596	White Wall Mount Door Hold Open Magnet	<ul> <li>To retain fire exit doors in an open position</li> <li>Triggered on fire alarm</li> <li>Dims: 65mm H x 65mm W x 46mm D</li> </ul>	£32.97
LFA-2596B	White Floor Mount Bracket	• To suit LFA-2596 • Dims: 120mm H x 90mm W x 40mm D	£10.15
LFA-2597	Stainless Wall Mount Door Hold Open Magnet	<ul> <li>To retain fire exit doors in an open position</li> <li>Triggered on fire alarm</li> <li>Dims: 65mm H x 65mm W x 46mm D</li> </ul>	£50.59
LFA-2596C	White Armature & Chain	• To suit LFA-2595 • Length 950mm	£34.57



#### **Door Accessories**

L&F Part code	Product Name	Description	List Price
Automatic door LFA-1000	Automatic Door Signage	• Dims: 150mm x 150mm	£0.48
Automatic door LFA-1001	Double Sided Automatic Door Signage	• For glass doors or vision panals • Dims: 150mm x 150mm	£1.12
Automatic Door Drws Awtomatig LFA-1000-W	Welsh / English Automatic Door Signage	• Dims: 150mm x 150mm	£1.66
Push Button to Open LFA-1002	Push Button To Open Signage	• Dims: 150mm x 150mm	£0.48
Power Assisted door LFA-1003	Power Assisted Door Signage	• Dims: 150mm x 150mm	£0.48
Power Assisted Door LFA-1004	Power Assisted Door Disabled Logo Signage	• Dims: 150mm x 150mm	£0.48
LFA-1005	Disabled Logo Signage	• Dims: 150mm x 150mm	£0.67
LFA-1006	Keep Clear Signage	• Dims: 150mm x 210mm	£0.52
LFA-1006-D	Double Sided Keep Clear Signage	• Dims: 150mm x 210mm	£2.62
LFA-1006-W	Welsh / English Keep Clear Signage	• Dims: 150mm x 210mm	£2.04
LFA-1007	No Entry Signage	• 150mm diameter	£1.87



#### **Door Accessories**

L&F Part code	Product Name	Description	List Price
LFA-1008	One Way Signage	• 150mm diameter	£1.87
LFA-1009	Emergency Escape Route Signage	• Dims: 150mm x 100mm	£0.63
Access Control Powered Door LFA-1011	Access Control Powered Door Signage	• Dims: 150mm x 150mm	£0.48
AUTOMATIC DOOR PUSH BUTTON TO OPEN LFA-1012	Automatic Door Push Button To Open Signage	• Dims: 150mm x 150mm	£0.48
LFA-1010	Door Manifestation Frosted Dots	50mm diameter frosted dots     100mm spacing on a 1100mm length	£5.60
LFA-1025	21mm Roller Floor Guide	• 21mm diameter	£15.55
LFA-1026	23mm Roller Floor Guide	• 23mm diameter	£15.55
LFA-1027	24mm Roller Floor Guide	• 24mm diameter	£15.55
LFA-1028	Double Roller Floor Guide	To suit aluminium bottom rail door profile	£19.74
LFA-1029	Standard Short Nylon Floor Guide	• Adjustable • Dims: 22mm W x 66mm L	£15.55
LFA-1030	Standard Long Nylon Floor Guide	• Dims: 22mm W x 66mm L • Similar Besam guide	£21.83





#### **Door Accessories**

L&F Part code	Product Name	Description	List Price
LFA-1031	Pair Angular Floor Guide	• Sutable for jamb fixing • Dims: 22mm W x 66mm L	£42.78
LFA-1032	Nylon Floor Guide Block	• Dims: 17mm W x 25mm H x 130mm L	£14.10
LFA-1040	Aluminium Door Stop	Physical stop for aluminium doors	£13.85
LFA-1020	CA Test Body	• CA test body • 700 mm H x 300mm W x 200mm D • To BS EN:16005 standards	£53.92
LFA-1021	CB test body	Test body for revolving doors Rubber material To BS EN:16005 standards	£71.31
LFA-1022	ESPE test body	Used for testing FlatScan 3D sesnors     8mm diameter rubber tip     To BS EN:16005 standards	£43.43







L&F Part code	Product Name	Description	Trade Price
LFA-AXI-5000	AXIMSide Load Top Arm & Channel (Narrow Door Rail)	• To suit AXIM 8800 & 9900 series transom closers	£18.44
LFA-AXI-5001	AXIM Anti-Finger Trap Side Load Top Arm & Channel	To suit AXIM 8800 & 9900 series transom closers Suitable for anti-trap profile doors	£18.44
LFA-AXI-5002	AXIM End Load Top Arm & Channel	To suit AXIM 8800 & 9900 series transom closers Suitable for anti-trap profile doors Includes 5mm spacer	£18.44
LFA-AXI-5003	AXIM Standard Side Load Top Arm & Channel	• To suit AXIM 8800 & 9900 series transom closers	£18.44
LFA-AXI-5004	AXIM Standard Bottom Pivot Assembly	<ul> <li>Fully adjustable height 31.5mm to 58.5mm</li> <li>100kg loading radial bearing</li> <li>1 full turn equals 2mm adjustment</li> </ul>	£9.61
LFA-AXI-5005	AXIM Heavy Duty Bottom Pivot Assembly	<ul> <li>Fully adjustable height 31.5mm to 58.5mm</li> <li>100kg loading radial bearing</li> <li>1 full turn equals 2mm adjustment</li> </ul>	£9.61
LFA-AXI-5006	AXIM End Load Bottom Pivot Assembly	<ul> <li>Fully adjustable height 31.5mm to 58.5mm</li> <li>100kg loading radial bearing</li> <li>1 full turn equals 2mm adjustment</li> </ul>	£10.17
LFA-AXI-5007	AXIM 8800 Series Dummy Transom Closer	<ul> <li>For use when converting doors to automatic operation</li> <li>Free swing operation</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.14
LFA-AXI-5008-NHO	AXIM Light Duty None Hold Open Transom Closer	<ul> <li>Light duty for doors up to 750mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.14
LFA-AXI-5008-HO	AXIM Light Duty Hold Open Transom Closer	<ul> <li>Light duty for doors up to 750mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.14
LFA-AXI-5009-NHO	AXIM Medium Duty None Hold Open Transom Closer	<ul> <li>Medium duty for doors from 750mm to 950mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.14





L&F Part code	Product Name	Description	Trade Price
LFA-AXI-5009-HO	AXIM Medium Duty Hold Open Transom Closer	<ul> <li>Medium duty for doors from 750mm to 950mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.14
LFA-AXI-5010-NHO	AXIM Heavy Duty None Hold Open Transom Closer	<ul> <li>Heavy duty for doors from 950mm to 1150mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.14
LFA-AXI-5010-HO	AXIM Heavy Duty Hold Open Transom Closer	<ul> <li>Heavy duty for doors from 950mm to 1150mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.14
LFA-AXI-5009-NHO-KIT	AXIM Medium Duty None Hold Open KIT	<ul> <li>Includes standard side load arm &amp; standard bottom pivot</li> <li>Medium duty for doors from 750mm to 950mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£93.52
LFA-AXI-5009-HO-KIT	AXIM Medium Duty Hold Open KIT	<ul> <li>Includes standard side load arm &amp; standard bottom pivot</li> <li>Medium duty for doors from 750mm to 950mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£93.52
LFA-AXI-5011	AXIM 9900 Series Universal Dummy Transom Closer	<ul> <li>For use when converting doors to automatic operation</li> <li>Free swing operation</li> <li>Includes Installation guides with drilling templates</li> <li>Will replace Axim 8800 series, Dorma, Peters Jackson, Newman Tonks, Ryobi and other leading transom closers</li> </ul>	£84.14
LFA-AXI-5012-NHO	AXIM 9900 Series Medium Duty None Hold Open Transom Closer	<ul> <li>Double or single action</li> <li>Medium duty for doors from 750mm to 950mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£84.14
LFA-AXI-5012-HO	AXIM 9900 Series Medium Duty Hold Open Transom Closer	<ul> <li>Double or single action</li> <li>Medium duty for doors from 750mm to 950mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£84.14
LFA-AXI-5013-NHO	AXIM 9900 Series Heavy Duty None Hold Open Transom Closer	<ul> <li>Double or single action</li> <li>Medium duty for doors from 950mm to 1150mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£84.14
LFA-AXI-5013-HO	AXIM 9900 Series Heavy Duty Hold Open Transom Closer	<ul> <li>Double or single action</li> <li>Medium duty for doors from 950mm to 1150mm wide</li> <li>Cushioned backcheck</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£84.14





L&F Part code	Product Name	Description	Trade Price
LFA-GRO-5000	GROOM Side Load Arm	• To suit GROOM transom closers	£13.23
LFA-GRO-5001	GROOM End Load Arm	To suit GROOM transom closers Hexagon spanner provided	£13.23
LFA-GRO-5002	GROOM Pinch Free Side Load Arm	To suit GROOM transom closers Hexagon spanner provided	£13.23
LFA-GRO-5003	GROOM Universal Bottom Pivot	<ul> <li>Fully adjustable height 31.5mm to 58.5mm</li> <li>100kg loading radial bearing</li> <li>1 full turn equals 2mm adjustment</li> </ul>	£7.73
LFA-GRO-5004	GROOM Universal Transom Colser	For use when converting doors to automatic operation     Free swing operation     Includes Installation guides with drilling templates     Come with 70mm bracket	£50.73
LFA-GRO-5005-NHO	GROOM EN2 None Hold Open Transom Closer	<ul> <li>Light duty for doors up to 700mm wide</li> <li>Maximum door weight: 110kg</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> <li>Opening up to 130 degrees</li> </ul>	£57.06
LFA-GRO-5005-HO	GROOM EN2 Hold Open Transom Closer	<ul> <li>Light duty for doors up to 700mm wide</li> <li>Maximum door weight: 110kg</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> <li>Opening up to 130 degrees</li> </ul>	£57.06
LFA-GRO-5006-NHO	GROOM EN3 None Hold Open Transom Closer	<ul> <li>Medium duty for doors from 700mm to 900mm wide</li> <li>Maximum door weight: 110kg</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> <li>Opening up to 130 degrees</li> </ul>	£57.06
LFA-GRO-5006-HO	GROOM EN3 Hold Open Transom Closer	<ul> <li>Medium duty for doors from 700mm to 900mm wide</li> <li>Maximum door weight: 110kg</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> <li>Opening up to 130 degrees</li> </ul>	£57.06
LFA-GRO-5007-NHO	GROOM EN4 None Hold Open Transom Closer	<ul> <li>Heavy duty for doors from 900mm to 1100mm wide</li> <li>Maximum door weight: 110kg</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> <li>Opening up to 130 degrees</li> </ul>	£57.06
LFA-GRO-5007-HO	GROOM EN4 Hold Open Transom Closer	<ul> <li>Heavy duty for doors from 900mm to 1100mm wide</li> <li>Maximum door weight: 110kg</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> <li>Opening up to 130 degrees</li> </ul>	£57.06





L&F Part code	Product Name	Description	Trade Price
LFA-GRO-5008	GROOM 65mm Fixing Bracket Pack	Often used to fix transom closers when glass patch or rail fittings are to be used	£5.03
LFA-GRO-5006-NHO-KIT	GROOM EN3 None Hold Open Transom Closer KIT	<ul> <li>Includes standard GROOM side load arm &amp; standard bottom pivot</li> <li>Medium duty for doors from 700mm to 900mm wide</li> <li>Maximum door weight: 110kg</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.81
LFA-GRO-5006-HO-KIT	GROOM EN3 Hold Open Transom Closer KIT	<ul> <li>Includes standard GROOM side load arm &amp; standard bottom pivot</li> <li>Medium duty for doors from 700mm to 900mm wide</li> <li>Maximum door weight: 110kg</li> <li>2 valves for closing and latching speed adjustment</li> <li>Includes Installation guides with drilling templates</li> </ul>	£72.81







L&F Part code	Product Name	Description	Trade Price
LFA-AXI-5020	AXIM FC-1000 Series Universal Door Closer Size 2	Max door weight: 45 kg    Parallel arm bracket supplied as standard with every unit    Fire tested to BS 476-22 1987	£52.51
LFA-AXI-5021	AXIM FC-1000 Series Universal Door Closer Size 3	Max door weight: 60 kg     Parallel arm bracket supplied as standard with every unit     Fire tested to BS 476-22 1987	£52.51
LFA-AXI-5022	AXIM FC-1500 Door Closer	<ul> <li>Max door weight: 80 kg</li> <li>Parallel arm bracket supplied as standard with every unit</li> <li>Tested to EN1154</li> <li>Multi strength surface mounted closer</li> </ul>	£109.41
LFA-AXI-5022-F	AXIM FC-522-AL Friction Hold Open Arm	• To suit LFA-AXI-5022	£25.37
LFA-HOP-5000	Hoppe AR1500 Size 2-4 Silver Door Closer	<ul> <li>Max door weight: 80 kg</li> <li>Includes a universal fixing pack for push or pull side mounting</li> <li>Certifire Approved Product: Certificate CF294</li> <li>120 minute fire rating</li> </ul>	£36.72
LFA-HOP-5001	Hoppe AR1500 Size 2-4 Stainless Door Closer	<ul> <li>Max door weight: 80 kg</li> <li>Includes a universal fixing pack for push or pull side mounting</li> <li>Certifire Approved Product: Certificate CF294</li> <li>120 minute fire rating</li> </ul>	£46.56
LFA-HOP-5000-HOA-S	Hoppe AR3500 Silver Hold Open Arm	Hold open arm to suit LFA-HOP-5000 or LFA-HOP-5001     Finish: Silver	£29.60
LFA-HOP-5000-HOA-B	Hoppe AR3500 Black Hold Open Arm	Hold open arm to suit LFA-HOP-5000 or LFA-HOP-5001     Finish: Black	£32.36
LFA-HOP-5002	Hoppe AR5500 Size 2-5 Silver Door Closer	<ul> <li>Max door weight: 100 kg</li> <li>Includes a universal fixing pack for push or pull side mounting</li> <li>Certifire Approved Product: Certificate CF603</li> <li>120 minute fire rating</li> </ul>	£49.06
LFA-HOP-5002-HOA	Hoppe AR8200 Hold Open Arm	Hold open arm to suit LFA-HOP-5002     Finish: Silver	£14.41
LFA-BRI-5000	Briton 2003 Size 3 Door Closer	Max door weight: 60 kg     Includes a universal fixing pack for push or pull side mounting     120 minute fire rating	£62.23





L&F Part code	Product Name	Description	Trade Price
LFA-BRI-5000-HOA	Briton 2003 Hold Open Arm	Hold open arm to suit LFA-BRI-5000     Finish: Silver	£85.20
LFA-EXI-5000	Exidoor 9870 Door Closer	<ul> <li>Max door weight: 80 kg</li> <li>Includes a universal fixing pack for push or pull side mounting</li> <li>Power Size 4</li> <li>Free swing function</li> </ul>	£159.39
LFA-LCN-5000	LCN 1261 Universal Door Closer	<ul> <li>Non-handed for right and left swinging doors</li> <li>Adjustable hydraulic backcheck</li> <li>Tested and certified under ANSI Standard A156.4 grade one</li> <li>Light to medium duty</li> </ul>	£125.71
LFA-LCN-5001	LCN 1261 Universal Hold Open Door Closer	Non-handed for right and left swinging doors Adjustable hydraulic backcheck Tested and certified under ANSI Standard A156.4 grade one Light to medium duty	£182.86
LFA-LCN-5002	LCN 4040XP Universal Door Closer	Non-handed for right and left swinging doors Adjustable hydraulic backcheck Suitable for internal and external doors Heavy duty	£178.57
LFA-LCN-5003	LCN 4040XP Universal Hold Open Door Closer	<ul> <li>Non-handed for right and left swinging doors</li> <li>Adjustable hydraulic backcheck</li> <li>Suitable for internal and external doors</li> <li>Heavy duty</li> </ul>	£198.57



See you in the future

:)

- > Automatic Door Operators
- Sensors & Accessories
- > Push Buttons & Key Switches
- > Finger Guards & Barriers
- > Access Control & Security
- Door Accessories
- Manual Door Parts



Trade Counter & Head Office Units 7 & 8 Rollingmill Industrial Estate Walsall | West Midlands | WS2 9EQ

